

# Scoparina

Each fluid dram represents the active principles of 15 grains each of Broom Top, Couch Grass and Hydrangea, combined with Benzo-Salicylate of Lithium.

Properties-Diuretic and Diaphoretic.

1025

Being highly esteemed for its demulcent and emolient qualities in cystitis and irritable bladder, acting both on the bowels and kidneys.

Dose 1 to 2 teaspoonfuls three times a day. It is best given in half a glass of hot water.


It is true that many chronic diseases are caused by imperfect digestion and disordered metabolism, which is shown by an abnormal condition of the urine, with neuralgia pains in various parts of the body, and a derangement of function in many organs and tissues. A remedy, or combination of remedies, for the relief of these lesions is the daily demand by the busy practitioner, and Scoparina is presented with confidence that it will not disappoint the physician when prescribed in these cases.

In the treatment of diseases dependent on the uric acid diathesis Scoparina will be found an efficient remedy. It improves the appetite and invigorates the whole system. It increases the functional activity of the kidneys and prevents formation of urinary deposits. It relieves irritation of the bladder and! chronic cystitis. It may be given with advantage in chronic bronchitis, in chronic lung disease with hydrothorax, and it stimulates the kidneys in all forms of chronic dropsies. In all cases of impaired power of the heart, with diminished secretion of urine. In palpitation without organic disease of the heart. In irritation of the bladder and incontinence of urine of elderly people.

It is a specific for the prompt relief of frequent micturation with pressing pains and irritation.

Its use will be found a valuable aid in the treatment of renal calculus, gout and chronic rheumatism.

Put up in 16 os. bottles, per doz. \$12.00.





PART OF OFFICE.



ON THE ORDER FLOOR.

# STEARNS & WHITE CO.

MANUFACTURING CHEMISTS

181 to 189 Chestnut Street, corner North Franklin

#### CHICAGO

Cordially invite you and your friends to inspect their new Laboratory. It is for many reasons very interesting and instructive. The building was built and is owned by Messrs. Stearns & White. It is heavy mill construction, pressed brick, five stories and basement high. It faces the South, East and West, and has daylight in every part. Its equipment is modern and original. The floors are extra heavy, consisting of dressed heavy plank finished on the top with hard maple. No joists are used, only heavy Georgia pine timbers. The basement and sidewalks are of Portland cement, and elevators and stairways are fire-proof. The first floor is forced by the statement of the proof of the political care. finished in polished oak. House telephones connect every floor. The building has its own power and heating plant and is complete in every detail.

The original copyrighted number system alone is well worth a visit. It is the only mercantile building in which anyone can easily find anything. Each thing has its place, which is numbered, with the name following. In the basement 1 to 1000; first floor, 1000 to 2000; second floor, 2000 to 3000; third floor, 3000 to 4000; fourth floor, 4000 to 5000, and fifth floor, 5000 to 6000. Every item made is ordered by the Number in the price list, which not only makes sure of the item but locates the stock and affords a check in filling by number and name and a verification then and there by name and number, rendering errors and omissions practically impossible.

Each label has its separate drawer which is L, and the same number as the goods. Each Electrotype that label is printed from is marked E, and the goods number. On each formula card which is always used in making the article appears the letter On each formula card winds is aways used in making and packing, also stationery, is marked O, and its number. All Fixtures are F, and their number, thus not only shelvings and tables but tools have their marked space, completely fulfilling the old adage: "a place for everything and everything in its place,"

Reserved stock is in any one of a numbered reserved space, and this number is placed in the original space number, which prevents a larger stock than is usually carried blocking the system. All things must come back to their places, because there is none other for them. No time is wasted in hunting for anything.

The equipmment is original, modern and complete. The ends of all shelving only touch the wall, each being clean and light, holding four hundred gallons of liquids. All employees are taught to feel their responsibility and to obey their better selves. Soon out, or a permanent place, is the rule. No "lay-offs" or discharges without a cause have ever occurred. We feel our success is largely due to those with us.

those with us.

We want to show you a clean laboratory. How drugs are ground, Specialties made, Fluid Extracts percolated, assayed and tested. Solid and Powdered Extracts finished. Elixirs and Syrups compounded and filtered. How Suppositories are made by the thousand by cold pressure with our own designed machine. How tablets are triturated, granulated, dried and compressed by the million with single, double, triple and quadruple tablet machines. How they are coated and polished. How Hypodermic Tablets are molded. How Pills are made

We want you to become acquainted with us and those in chargeof our different departments, that you may feel confident that all goods are properly made.

Positively only the best goods from the purest materials, absolutely true to formula, are made. The prices the goods are sold for are never considered in any of the manufacturing departments. To produce the best is always understood. We never cut a quality for price. All materials are bought for Cash and paid for inside of ten days. No money has ever been borrowed. All employed are temperate, pains-taking and skilled in their departments. Prices, quality considered, are the lowest.

References: First National Bank. Any jobber. Any Commercial Agency. Have your name on our mailing list.

Send postal and we will call upon you.

Ask for samples and literature.

Ask for samples and literature.

Telephone, North 232

You can reach our laboratory by the Wells street car in nine minutes from down town. Get off at Chestnut street, go West one-half block.

The quicker way is to take the Northwestern Elevated to Chicago avenue

# INDEX

P	age		Page
Acids	41	Lead, Solutions	42
Ammonia	41	Leptandrin	42
Anodyne, Hoffman's	41	Liniments	42
Arsenic Solutions	41	Liquors	42
Alkacetamid	4	Litmus Paper	42
Alkachin Syrup	7	Lotion Hemmorrhoid	42
Albu Ferri Comp	4	Miscellaneous	41
Battery Fluid	41	Mixtures	42
Bay Rum	41	Nerve and Brain Tablets	. 5
Benzomol3d page Co	ver	Neutralizing Cordial Improved	. 7
Boro Glyceride	41	Ointments	43
Castor Oil Emulsion	7	Pancreo Digestin Powd	5
Cerates	41	Part One	. 4
Chlorodyne	41	Part Two	. 8
Cod Liver Oils	42	Part Three	39
Collodions	41	Paxine	. 5
Depilatory	7	Powders	44
Digestive Ferments	43	Podophyllin	44
Effervescent Salts, Gran	47	Plasters	& 44
Ethers	42	Q. V. I. Pills	
Embalming Fluid	42	Scoparina 2d page (	
Extract Witch Hazel	42	Somnone	
Epidermine	4	Specialties	. 4
Elixirs, Medicinal 23 t	032	Suppositories	. 8
Elixir, Pancreo Digestin	4	Syrups Medicinal	
Errors, Shortages, Breakages, Ov-		Syrup, Hypophosphites Spec	
ercharges, etc	32	Spirits	
Essence Pepsin	4	Specific Tinetures36	
Expectorant No. 4	4	Stenolines	
Explanatory	3	Solutions	
Ext. Saw Palmetto & Sandalwood.	4	Tablets, Compressed 48	
Fluid Extracts 9 to	0 23	Tablets, Compressed, Bulk	
Fly Paper	46	Tablets, Hypodermic	
Formaldehyde	42	Tablets, Watch Case S. T	
GADDA	7	Terroles	
Glyceroles	42	Tinctures39	
Haines Sugar Test	7	Toilet Articles	
Halogens Comp	6	Viburnum Comp. Liquor	
Honey and Tar Comp	5	Vinegars	
Invitation	1	Waters	
Iron Wood Tonic	7	Wines	
Lard, Benzoated	42	Yerba Santa Cough Mixture	

# To the Buyer

To best serve our customers we offer our untiring energies to give goods of the very best quality at prices always the lowest.

On all orders of over \$10.00 for our own manufactured goods we allow freight, except when it exceeds 10 per cent. Then 10 per cent. is allowed.

Boxing and cartage free, but we do not allow cartage at destination.

Mail orders solicited, which will receive prompt and careful attention.

Always specify "S. & W." when ordering of Jobbers. Special and private formulas prepared with care, strictly as represented, and guarded from publicity.

All prices subject to market changes.

Terms 60 days on approved credit, or 2 per cent. discount for cash within 10 days.

Pay no money on our account to parties representing us without our written authority.

# STEARNS & WHITE CO.

Manufacturing Chemists

181 to 189 CHESTNUT STREET Corner North Franklin

CHICAGO

9th Edition

#### SPECIALTIES

Manufactured only by STEARNS & WHITE CO. het except in quantities, PART ONE-NET PRICES.

Per oz.

65

A compound, alkaline, coal tar derivative. Indicated in all conditions calling for antipyretic or febrifuge effects. Anodyne and sedative in cases in which Bromides, Caffein, etc., have failed. Nervine in Neuralgic and Rheumatic pains, replacing Aconite, Salicylic acid and pain removers. Hypnotic and sedative in Insomnia, Delurium, etc. Thoroughly harmless—no heart effects. Average dose 5 to 10 grains. Per doz. pts. This preparation is recommended in all cases of Anæmia and Neurasthenia. In the anæmia of Phthisis and of Scrofula it is without a peer. All Neurasthenic conditions are benefited by its use. It being nearly non-saccharine, there are none of the objections to its use which pertain to the usual syrup form in which the Albuminate of Iron is usually exhibited. It is the most easily assimilated of all Iron preparations, correcting the ill-effects fol lowing mal-nutrition. Each fluid dram contains I grain each of Albuminate of Iron, Hypophosphite of Lime and Soda, ½ grain Hypophosphite Potash. Dose 1 to 2 teaspoonfuls. Pints. Per doz. Gal 1022 Benzomol ..... (See third page of cover) .....\$3 00 \$0 50 \$4 00 1003 Epidermine Ointment. Composed of Zinc Oxide, Boracic Acid, Eucalyptol and Vaseline qs.
Will be found very efficient in the treatment of all skin diseases, and unexcelled as a dressing for wounds, sores, cuts, bruises, etc., because of its powerful antiseptic and healing properties.

½ lb. \$0 40 1 lb. \$0 75 5 lb. \$3 00 1004 Epidermine Lotion. A preparation of great value in the treatment of Eczema and kindred skin diseases. Pints, each \$1 00. Pints. Gal. 5 Pints. \$3 50 \$0 80 1006 Ext. Sawpalmetto and Sandalwood . . . . . . . . . 4 00 65 Each fluid dram represents

1007 Expectorant, S. & W. No. 4. . . . . . . . . Formula—Each teaspoonful contains

gs.

Formula—Each teaspoonful contains
Tinct. Sanguinaria, M. 1½
Tinct. Opi, M. ½
Benzomol, S. & W., M. 10
Honey, M. 23½
Expectorant S. & W. No. 4 is a valuable remedy in the treatment of diseases of the throat and lungs, being mild, yet efficient. With the addition of Benzomol it is valuable as an antiputrescent. It relieves the mucous secreted by the inflamed lining membrane of the bronchial tubes, it cleanses the throat and mouth, leaving the parts affected in an excellent condition, different from most expectorants. The dose is from 15 to 60 minims. It may be given in small doses often, just sufficient to keep the throat moist.

Gal. 5 Pts. Pts. 1023 Elixir Halogens Comp. (See page 6.).....\$4 50 \$0 75 1008 Elixir Pancreo-Digestin.

Each fluid dram contains

Sawpalmetto......20 grs. Sandalwood .....

Pancreo Digestin.......10 grs.

Gal \$4 50 5 Pints, \$3 50 1 Pint, \$0 75

Gentian and Chloride Iron. Each fluid dram contains

1009 Elixir Pancreo-Digestin.

Pancreo Digestin....... 5 grs.
With Elixir Gentian and Iron Chroride.
Gal., \$4 50 5 Pirts, \$3 50

1 Pint. 80 75

	SPECIALTIES.	
1010	Gal. 5 Pints.	Pint.
1010	Liquor Viburnum Comp\$3 50 \$2 75  Each fluid ounce represents  Black Haw60 grs  Golden Seal (represented	\$0 65
	by the white Alkaloid) .60 grs. Jamaica Dogwood30 grs.	
1011	Honey and Tar Comp., S. & W	55
	Tincture of Opium	
1012	Nerve and Brain Tablets S. C	\$0 20
	Asafetida 1 gr. Ferrous Bromide Special 1 gr. Ext. Hyoseyamus 1-16 gr. Ext. Nux Vomica 1 gr. Zine Phosphide 1 gr.	
		z. pts.
1013	Paxine (Pacifier)	ations, Is a Catnip to one
1014	Pancreo-Digestin Powder.  A compound digestive powder, containing in the same proportions present in the human secretions, the active digestive principle of the Ptyalin; of the stomach, Pepsin; of the pancreas, Pancreatin; thore purified and united with Lactic and Hydrochloric Acid to form a pla and active assistant to the digestive functions. Usual dose 1 to 10 grain 1 oz. \$0.40	saliva, oughly easant ns.
1015	Q.V.I. (S. & W.) Pills	100 \$0 25
	Ext. Nux Vomica gr.  Doz. 16 oz	bots.
	Scoparina (See second page of cover)	\$12 00
1016	Combines the Sedative, Hypnotic, Anodyne and Soporific properties Poppy, Lactucarium and Lupulin. All narcotic properties have be moved. Indicated in Hysteria, Delirium, Febrile or Nervous excite insomnia, chorea, teething of children, etc. There are no objectic sequelæ in its use. Does not nauseate. Each fluid dram represents (denarcotized), 30 grains; Lupulin, 20 grains; Lacturcarium, 10 grains. dose, ‡ fluid dram.	of the en re- ement, onable Poppy Adult
1024	Gal. 5 Pts. Syrup Alkachin (see page 7)	Pts. \$0 65
1017	Syrup Hypophosphites Comp., Special S. & W 5 00 3 25 Each fluid dram represents	75
	Calcium Hypophosphite1 gr. Sodium Hypophosphite1 gr. Potassium Hypophosphite1 gr. Iron Hypophosphite1 gr. Manganese Hypophosphite1 gr. Ovince Hymophosphite1 gr.	
	Quinine Hypophosphite gr. Strychnine Hypophosphite1-128 gr.	
1018	Per pint. P Terrole	orless,

#### SPECIALTIES.

#### SPRAYS.

	51.14.15.	Per
		pint.
1019	R.A	\$0 50
	Menthol	r.
1020	R.B.,	55
	Menthol	
1021	R. C	60
	Eucalyptol	

#### 1023 Elixir Halogens Compound.

Each fluid dram contains 9 grains of combined Iodides, Bromides, and Chlorides of Calcium, Magnesium, Sodium, Potassium and Iron, with Compound Ext. Sar-

saparilla, with suitable aromatics.

Properties and Uses.—A powerful and effective alterative. Extensively used in diseases of the blood, traceable to scrofulous origin. Also used in Erysipelas, Salt Rheum, Cancerous tumors, Cutaneous affections and in Rheumatism and Neuralgia.

Dose for Adults.—One teaspoonful in a little water an hour before each meal.

which may be increased under the directions of a physician.

which may be increased under the directions of a physician.

It is a peculiar fact that most chronic diseases are due to disorders of the secondary assimilation where the digested food does not produce good blood and normal tissue, as in scrofula, tuberculosis and rachitis. In these constitutions we find in infants an arrest of development, as manifested by difficult dentition, imperfect ossification, delay in the power of walking, glandular swellings, ophthalmia, otitis, eczema, with indigestion, flatulency, acidity, irregular state of the bowels, and torpid liver. We have a constitutional condition, with an excess of the white and diminution of the red tissue, the blood is albuminous, the proportion of fibrine and red globules small, the muscles weak and flabby, symptoms indicating a weakened state of the vital forces. In the adult we may have, from tuberculosis or syphilis, similar evidence of disorder in blood making and tissue building.

It is found as a matter of practical experience that in the halogen group of agents.

It is found as a matter of practical experience that in the halogen group of agents, as well as in certain vegetable alteratives, we have the only remedies which have a certain curative power in these cases, and especially in the initial stage.

This preparation is a scientific combination of the most powerful alteratives, and when given with due regard to such hygienic means as good food, air and sun-light, will be found a certain means of warding off and will be found a prophylactic in most dangerous and fatal maladies.

It may be given in all disorders of nutrition, in incipient tuberculosis and chronic syphilis, in all cases where adventitious deposits are present.

chronic syphilis, in all cases where adventitions deposits are present.

In rheumatism, dropsy, various lesions of the lungs resembling consumption. In diseases attended with glandular swellings, scrofulous ophthalmia, fistulous and carious ulcers, abscesses, noli me tangre, hip disease, diseases of the bones, ozena, distortions of the spine, in indigestion and enlargements of the parts diseased, many affections of the glands, tubercular deposits and deposits of coagulable lymph, visceral and glandular congestions, inflammation, enlargements, adhesions, exudations, thickening of membranes, morbid growths, uterine tumors, and ovarian analyzements. and uterine enlargements.

In chronic inflammation, induration and enlargement of the liver and en-larged spleen—chronic enlargement and induration of the prostate, parotid, lymphatic and mesenteric glands and chronic tumors of the mammary glands.

In syphilis with ulceration of the throat, periostitis, ulcers of the skin, buboes,

paralysis and chronic nervous affections.

In lupus, eczema, lichen, pompholyx, prurigo, pityriasis, psoriasis, in impetigo,

ecthyma, prurigo, lepra.

In phlegmonous erysipelas and sloughing of the cellular membrane, and in all cachetic and depraved states of the system.

#### SPECIATLIES.

Gal. 5 Pints. Pint. Syrup Alkachin or Tasteless Quinine . . . . . . . \$4 00 \$2 75 \$6 65 Each fluid dram is equal to 2 grains of Sulphate Quinine. Shake well before using

Dose.—From one-half to two teaspoonfuls, according to age. Each dose may be followed by water to prevent any bitter taste of Quinine that might be developed if allowed to remain in the mouth too long. Avoid the use of any acid,

as it will develop a bitter taste.

May be used for all the purposes that are met by quinine as a tonic nerve stimulant, and to counteract malarial toxemia. It will not irritate the stomach or cause dizziness or other symptoms of brain irritation. In malarial fevers it may or cause dizziness or other symptoms of brain irritation. In malarial fevers it may be given together with three grain doses of prussiate of iron. And where nervous symptoms predominate, add five drops of gelsemium to each dose. This prescription may be given in all cases of congestive, bilious or typhoid fevers where the disease is, in the least degree, of a periodical character. In the disorders of pregnancy, and especially during the latter months, give it with five drops doses of caulophyllum three times a day. In spasmodic asthma combine with lobelia so as to produce slight nausea. In whooping cough, laryngisums stridulus, palpitations of the heart and hiccough give with ten grain doses of chloral hydrate, where the attacks are periodical. It may be substituted for quinne as a tonic in diptheria sethenic memoria and hectif fever with exhaustive sweats and in the debility asthenic, pneumoina and hectic fever with exhaustive sweats, and in the debility accompanying scrofulous abscesses and chronic ulcers. In cases of profuse expectoration, in debility following hemorrhage, in chronic diarrhæa, in albuminuria following scarlet fever, and in all cases of chronic mucous discharges. In case of prevailing epidemics give it with Fowler's solution in five drop doses as a prophylactic. In diabetes, chronic diarrhœa, leucorrhœa, menorrhagia, passive hemorrhage and passive dropsies. In adynamic fevers, in scarlatina maligna, gangrenous and passive dropsies. In adynamic levers, in scartatina maligna, gangrenous erysipelas and where there is gangrene and putrescency. In anomalous conditions characterized by periodicity, as headache, hemicrania, neuralgia, toothache, rheumatism, deafness, dyspnœa and convulsions. In neuralgia of the facial nerves add five drops of gelsemium to each dose. In browague or supra-orbital neuralgia it may be combined with Fowler's solution in doses of five drops of the

1026 Emulsion Castor Oil, as suggested by E. J. Farnum, M. D.

Each fluid ounce represents: Castor Oil, Cold Pressed..... ½ fl. oz

Oil Turpentine, redistilled . . 10 m. Oil Wintergreen..... 5 m.

Aromatics..... qs.

Dose.—One-half to one tablespoonful as required.

Gal., \$3 50. 5 Pints, \$2 50. 1 Pint. \$0 60.

1027 Depilatory, for removing superflous hair, to be used before operating. Is harmless, and will not discolor or injure the most sensitive or delicate n. It never fails, and has no equal.

Directions.—Apply the Depilatory lightly with a small stick. Let it remain three minutes. Rub lightly until the hair is all dissolved, then wash off. 1 oz bottle, 50 cents each.

1028 Haines Sugar Test.

Directions for use.—Place two drams of Haines Test solution into a clean test-tube and heat to boiling point. Boil for one minute, if no reduction of copper takes place, introduce 4 or 5 drops of the suspected urine and boil again, continuing to add urine until 8 or 10 drops have been added, boiling after each addition. If no reduction occurs, an appreciable amount of sugar is not present. 4 oz bottles, 25 cents each.

(al. 5 Pints. .\$3 50 \$2 50. 1030 Neutralizing Cordial Improved......\$3 50 \$2 50 \$0 60

Rhubarb, select fresh, Cinnamon Ceylon, Soda Bicarb., Potass, Carbonate,
Peppermint. Especially manipulated to fill exacting demands, securing the best therapeutic action of the constituents.

Gal. 5 Pints. ....\$3 50 \$2 50 Pint. \$0 60

Tinet. Cardamom Comp .... 2 Tinct. Gentian......6 m. 

1032 GADDA, Germicide, Antiseptic, Deodorant, Disinfectant, Antizymotic Composed of Aluminium Chloride, Sodium Chloride, Bromine, Formalde-hyde. A very powerful Germicide for sick-rooms.

Pints, \$4 50 doz.

Part Two.

### SUPPOSITORIES

Subject to ......discount.

Are put up in neat boxes, each containing twelve Suppositories, and can be readily forwarded to any destination by mail or express.

Special Prices given for Large Lots of any Formula Desired.


	RECTAL.	
3924	Per d	in box
3524	Powdered Opium } gr. Ext. Belladonna } gr.	\$ 2 65
3925	Acid Boracic	. 3 00
	Thymol	
3926	Acid Salicylic	3 00
0007	Acid Boracic	
3927	Powdered Opium 1 gr. Acid Tannic 2 grs.	. 2 65
3928	Powdered Opium 1 gr.	2 65
3929	Plumbi Acetate2 grs.	0.0
	Powdered Opium ½ gr. Ext. Belladonna ½ gr. Plumbi Acctate 1 gr.	2 65
3930	PILE.	
3930	Ext. Stramonium	4 70
	VAGINAL.	
3931	Quinine Sulph	4 70



ANALYTICAL WORK.



SECTION LIQUID FLOOR.



All Prices subject to Market Changes.

#### DOSE AND PRICE LIST

of

#### FLUID EXTRACTS

In pint, half-pint, quarter-pint and five-pint bottles. Pint bottles will be supplied on orders in absence of specifications to the contrary.

The list price per pint will be reduced 10 cents when five pound bottles are ordered. An addition of 10 cents per pint to list price will be made on orders for half pints and an addition of 20 cents per pint for quarter pints.

Subject to Discount

	Subject toDiscount.						
	/ -	D	ose	à.	F	er.	lb.
	Aconite Leaves, Aconitum Napelles						
3002	Aconite Root (U. S. P.), Aconitum Napellus (Assayed). Sedative, Diaphoretic, Diuretic, Narcotic.	1	to	2	min.	1	20
3003	Agaric, Agaricus Albus	5	to	15	mm.	2	40
	Agrimony, Agrimonia, EupatoriaStimulant, Astringent.						
	Aloe, Aloe Socotrina						
	For making the Tincture of Aloes and Myrth, U.S.P. Each pint contains Aloes 6 oz., Myrth 6 oz.						
3007	Alterative Compound						25
	Smilax Sarsaparilla4 oz. Xanthoxylum Stillingia4 oz. Phytolacca Lappa4 oz.						
3008	Alum Root, Heuchera Americana	$\frac{1}{2}$	to	1	fl. 3	. 1	20
3009	American Ash, Fraxinus Americana	15	io	30	min.	1	20
	American Columbo, Frasera Walteri						
	Angelica Root, Angelica Atropurpurea						
	Anise Seed, Pimpinella Anisum						
	Angustura True, Galipea Cusparia						
3014	Arbor Vitæ, Tuja Occidentalis. Aromatic, Tonic, Astringent.  Areca Nut, Areca Catechu.	÷ 1	0	1	fl. 3.	1	20
	Astringent, Tome.						
	Arnica Flowers, Arnica Montana						
3017	Arnica Root (U. S. P.), Arnica Montana	5	0	20	min.	1	30
	Aromatic (Pulvis Aromaticus, U. S. P.)						
3019	Asafetida, Ferula Narthex	10 1	0	20	min.	1	50
	Avens Root, Geum Rivale						
	Bael Fruit, Ægle Mermeroles						
3022	Balmony, Chelone Glabra	1 (	0	2	fl. 3.	1	00

FLUID EXTRACTS

The state of the s
FLUID EXTRACTS.  Dose. Per lb.
3023 Bayberry, Myrica Cerifera
3 00 Bay Rum Leaf, Myrcia Acris
3025 Balm, Melissa Officinalis
3026 Balm of Gilead Buds, Populus Candicans
3027 Barberry Bark, Berberis Vulgaris 1 to 2 fl. 3. 1 20 Astringent, Emetic, Tonic.
3028 Bearsfoot, Polymnia Uvedalia
3029 Belladonna Leaves, Atropa Belladonna (Assayed) 3 to 5 min. 1 25 Alterative, Diuretic, Diaphoretic, Narcotic poison.
3030 Belladonna Root, U.S.P., Atropa Belladonna (Assayed) 1 to 3 min. 1 50 Alterative, Diuretic, Diaphoretic, Narcotic poison.
3031 Berberis, Berberis Aquifolium
3032 Beth Root, Trillium Pendulum
3033 Benzoin, Styrax Benzoin
3034 Benzoin Compound
Expectorant, Aromatic. 100 C. C. represents One pint represents about
48 gm. Benzoin 8 oz. 8 gm. Aloes Purified. 13 oz. 32 gm. Storax 55 oz.
16 gm. Balsam Tolu 23 oz.
3035 Bitter Bugle, Lycopus Europæus
3036 Bitter Root, Apocynum Androsæmifolium 10 to 60 min. 1 20 Emetic, Diaphoretic, Tonic, Laxative, Diuretic.
3037 Bitter Sweet, U. S.P., Solanum Dulcamara 1 to 2 fl. 3. 1 20 Antaphrodisiac, Alterative, Diuretic, Narcotic.
3038 Bitter Sweet, False, Celastrus Scandens ½ to 1 fl. 3. 1 05 Alterative, Diuretic, Diaphoretic.
3039 Black Alder Bark, Prinos Verticillatus
3040 Black Cohosh, U. S. P., Cimicifuga Racemosa 10 to 30 min. 1 20 Astringent, Sedative, Styptic, Tonic.
2001 Black Cohosh Comp
Black Cohosh 8 oz. Licorice 3 oz.
Wild Cherry 2 oz. Senega 2 oz.
Ipecac
3042 Black Haw, U.S. P., Viburnum Prunifolium, 1 to 2 ft 3 1 75
Astringent, Alterative, Uterine Tonic, Diuretic.  3043 Black Hellebore, Helleborus Niger
3044 Blackberry Root, U. S. P., Rubus Villosus
Astringent, Tonic.  3045 Black Walnut, Juglans Nigra
3046 Black Willow, Salix Nigra
Tonic, Astringent.  3047 Bladder Wrack, Fucus Vesiculoses
3048 Blood Root, U. S. P., Sanguinaria Canadensis 10 to 15 min. 1 05
· Alterative, Emmenagogue, Emetic, Stimulant, Nar- cotic.

						-
	FLUID EXTRACTS.	De	ose.	I	Perlb	
3049	Blue Cohosh, Caulophyllum Thalictroides	.20 t	0 40	0 min.	81 00	)
3050	Blue Flag, U. S. P., Iris Versicolor	. ½ t	0 ]	l fl. 3.	1 0	5
	Bold Leaf, Peumus Boldo			5 min.	3 00	)
3052	Boneset, U. S. P., Eupatorium Perfoliatum	. ½ t	0	1 fl. 3.	1 00	0
3053	Broom Top, Sarothamnus Scoparius	.30 t	0 60	min.	1 05	5
	Bryony, Bryonia Alba					
2002	Buchu Comp         Buchu	. 1 t	o :	2 fl. 3.	1 75	5
2003	Buchu, Long Leaf, Barosma Serratifolia	. ½ 1	0	2 fl. 3.		
3055	Buchu, U. S. P., Short Leaf, Barosma Betulina Aromatic, Tonic, Stimulant, Diuretic.	. 1/2	to	2 fl. 3.	1 7	5
	Buchu and Juniper with Potass Acetate  Diuretic. Buchu			1 fl. 3.	1 7	5
3057	Buchu and Pareira Brava (equal parts)	. 1 1	0	4 fl. 3.	1 7	5
	Buck-Bean, Menyanthes Trifoliata Tonic, Astringent, Purgative.			0 min.	1 2	0
3059	Buckthorn Berries, Rhamnus Catharticus Purgative, Drastic Cathartic.	. ½ 1	0	1 fl. 3.	1 0	5
	Buckthorn Bark, U. S. P., Rhamnus Frangula			2 fl. 3	1 0	0
3061	Bugleweed, Lycopus Virginicus	. 1 1	0	4 fl. 3.	1 0	0
3062	Burdock Root, Lappa Officinalis	. 1 1	0	2 fl. 3.	1 0	0
3063	Burdock Seed, Lappa Officinalis	.10 1	0 3	0 min.	1 2	0
3064	Butternut Bark, Juglans Cinerea	. 1 t	0	2 fl. 3.	1 0	0
3065	Calabar Bean, Physostigma Venenosum (Assayed) Powerful Sedative.	. 1 t	0	3 min.	3 0	0
3066	Calamus, U. S. P., Acorus Calamus Carminative, Aromatic.	.10 t	0 3	0 min.	1 2	5
	Cannabis Indicus (see Indian Hemp, Foreign). Canada Snake Root, Asarum Canadense Aromatic, Diaphoretic, Stimulant.	. 1 t	0	2 fl. 3.	1 0	5
3068	Canella Bark, Canella Alba Aromatic, Stimulant, Tonic.	.20	0 6	0 min.	1 0	0
3069	Cantharides, Cantharis Vesicatoria For external use,	. 1	to	2 min.	3 5	0
	Cardamom Comp           Warm Aromatic, Stimulant.           100 C. C. represents         One pint represents about 16 gm. Cardamom	t				
3071	Cardamom Seeds, Elettaria Cardamomum	.30	to 6	0 miin	. 30	0
	Caraway Seed, Carum Carvi			1 fl. 3		

	FLUID EXTRACTS.
3073	Dose. Per lb Cascara Sagrada, Rhamnus Purshiana ½ to 1 fl. 3.\$1 50
3074	Laxative. Cascara Sagrada Aromatic (tasteless)
3075	5 Cascarilla, Croton Eluteria
3076	6 Cassia, Cinnamomum Aromaticum
3077	Castor Oil Beans, Ricinus Communis 5 to 10 min. 1 80 Cathartic.
3078	3 Catechu, Acacia Catechu
3079	Catnip, Nepeta Cataria
3080	Cayenne, U. S. P., Capsicum Fastigiatum
3081	Cedron Seeds, Simaba Cedron
3082	Celery. Apium Graveolens
3083	Cereus Bonpl andii 2 to 10 min. 3 50 Heart trouble.
3084	Cereus Grandi florus, Cactus Grandiflorus
3085	Chamomile, German, Matricaria Chamomilla10 to 30 min. 1 20 Tonie, Diaphoretie.
3086	Chamomile, Roman, Anthemis Nobilis ½ to 1 fl. 3. 1 20 Tonic. In large doses, Emetic.
3087	Cherry Bark, U.S. P., Prunus Serotina30 to 60 min. 1 05 Expectorant, Sedative, Stimulant, Tonic.
2001	Cherry Bark, Detannated, Prunus Serotina 1 to 2 fl. 3.1 40 Tonic and Expectorant.
	Cherry Bark, for Syrup, Prunus Serotina 1 to 2 fl. 3. 1 05
3089	Cherry Bark, Proctor's Formula
	Cherry Bark Comp.       1 ft. 3 2 00         Expectorant, Sedative, Stimulant, Tonic.         Cherry Bark.       12 oz.         Ipecac.       1 oz.         Opium.       1 oz.         Horehound.       1 oz.         Blood root.       1 oz.
3091	Chestnut Leaves, U. S. P., Castanea Vesca 1 to 2 fl. 3. 1 00 Astringent, Antiseptic, Tonic.
3092	Chickory, Cichorium Intybus
3093	Chiretta, U.S.P., Ophelia Chirata
	Cinchona, Aromatic
3095	Cinchona, U. S. P., Cinchona, Calisaya (Assayed)15 to 60 min. 1 50 Anti-malarial, Tonic, Sedative.
2005	Cinchona, (Detannated). Cinchona, Calisaya15 to 60 min. 1 70 Anti-malarial, Tonic, Sedative.
3096	Cinchona Comp., for making B. P. Tincture

	FLUID EXTRACTS.  Dose. Per lb
2006	Cinchona Comp. (Detannated), Assayed, for Compound Tincture
3097	Anti-maiariai, Tonic, Sedative.  Cinchona, Pale, Cinchona Pallida (Assayed)
	Anti-malarial, Tonic, Sedative.  Cinchona, Red, Cinchona Rubra (Assayed)30 to 60 min. 1 50
	Anti-malarial, Tonic, Sedative.
2007	Cinchona, Red (Detannated), Cinchona Ruba (Assayed) 30 to 60 min. 2 00 Anti-malarial, Tonic, Sedative.
3099	Cinchona, Red, Compound (Assayed), for making U.S. P. Tincture
3100	Cleavers, Galium, Aparine
3101	Clover Tops, Trifolium Pratense
3102	Cloves, Eugenia Caryophyllata
3103	Coca Leaves, U. S. P., Erythroxylon Coca (Assayed) 1 to 3 fl. 3. 2 00 Excitant, Stimulant, Tonic.
3104	Cocculus Indicus (Fish Berries). External
3105	Coffee—for Syrup, Caffea Arabica
3106	Colchicum Root, U. S. P., (Assayed), Colchicum Autumnale
3107	Colchicum Seed, Colchicum Autumnale (Assayed) 5 to 10 min. 1 75 Narcotic, Sedative.
3108	Colocynth, Citrullus Colocynthis
3109	Coltsfoot, Tussilago Farfara
3110	Columbo, U. S. P., Jateorrhiza Calumba20 to 60 min. 1 25 Non-astringent, Tonic.
3111	Comfrey, Symphitum Officinale
3112	Condurango (the Bark), Gonolobus Condurango 20 to 30 min. 3 00 Alterative, Tonic.
3113	Conium Leaves, Conium Maculatum
3114	Conium Seed, U.S. P., Conium Maculatum (Assayed) 2 to 5 min. 1 50 Powerful Narcotic Poison, Sedative.
	Coriander Seed, Coriandrum Sativum
3116	Aromatic, Carminative, Stimulant.  Corn Ergot, Ustilago Maydis
	Corn Silk, Stigmata Maydis 1 to 2 fl. 3. 1 50
3118	Diuretic. Used in nephritic affections.  Coto Bark, Para Coto
3119	Tonic.  Cotton Root Bark, U. S. P., Gossypium Herbaceum 1 to 2 fl. 3. 1 25  Emmenagogue, Diuretic.
	Cranesbill, U. S. P., Geranium Maculatum20 to 60 min. 1 05
3121	Powerful Astringent.  Cramp Bark, Viburnum Opulus
	Crawley Root, Corallorhiza Odontorhiza
3123	Tonic, Sedative, Diaphoretic.  Cubeb, U. S P., Cubeba Officinalis

	FLUID EXTRACTS.	Dos	se.	1	Per	lb.
3124	Culver's Root, U. S. P., Leptandra Virginica Cholagogue, Laxative, Tonic.	½ to	) 1	fl. 3	. 1	25
3125	Damiana, Turnera Aphrodisiaca	1 to	2	fl. 3	. 2	40
3126	Dandelion, U. S. P., Taraxacum Dens-Leonis	1 to	2	fl. 3.	. 1	25
3127	Dandelion Compound.           Tonic, Alterative.         13 ozs.           Dandelion.         1 oz.           Conium Leaves.         1 oz.           Mandrake.         2 ozs.	1 to	2	fl. 3.	1	25
	Dandelion and Senna  Alterative, Aperient, Diuretic. Laxative. Dandelion	to	2 :	fl. 3.	1 .	20
	Astringent, Tonic.	l to	2 1	a. 3.	1 :	20
	Digitalis (see Fox Glove).					
	Dog Grass, U. S. P., Triticum Repens Diuretic, Aperient.	to		A. 3.		
3130	Dogwood, U. S. P., Cornus Florida	to	1 1	a. 3.	1 (	00
	Sudorific, Alterative, Diuretic.	l to	2 f	a. 3.	1 :	10
3132	Elder Flowers, Sambucus Canadensis	. to	2 f	f. 5.	1 (	00
3133	Elecampane, Inula Helenium	to	60 I	nin.	1 1	10
	Ergot (with or without acid, assayed), Claviceps Purpurea I Uterine Stimulant, Parturient and Hemostatic. Unless otherwise specified we will always send Fluid Extract Ergot without acid.	0 to	60	min.	3 (	00
2009	Ergot (Ethereal), Claviceps Purpurea	to	60 r	nin.	3 (	00
3135	Febrifuge, Anti-spasmodic, Antiseptic, Tonic.			i. 3.		
3136	Euphorbia Pilulifera				4 (	00
	Evening Primrose, Enothera Biennis				1 5	50
	False Unicorn, Helonias Dioica				1 8	
	Fennel Seed, Fœniculum Vulgare		30 r	nin.	1 2	20
	Fleabane, Erigeron Canadense		2 f	l. 3.	1 2	0
	Fox Glove, U. S. P., Digitalis Purpurea (Assayed) 2 Powerful Narcotic Poison, Sedative, Diuretic.		5 n	nin.	1 2	25
	Fringe Tree Bark, Chionanthus Virginica		2 fl	l. 3.	1 5	0
	Frostwort, Helianthemum Canadense	to	2 fl	. 3.	1 0	0
	Galls, Quercus Infectoria 1 Astringent.	to		1. 3.		
3145	Galangal, Alpinia Officinarum	to	30 n	nin.	1 8	80
3146	Garlic, Allium Sativum	to	30 n	nin.	1 2	09
3336	Gelsemium (see Yellow Jasemine). Stimulant.					
3147	Gentian, U. S. P., Gentiana Lutea Pure Bitter Tonic.	to	1 f	1. 3.	1 (	00

PITTID EXTRACTS
FLUID EXTRACTS.  Dose. Per lb
3148 Gentian Comp. For making Tincture Gentian Compound, U.S.P
3149 Ginger, Jamaica, U. S. P., Zingiber Officinale 5 to 40 min. 1 5 Stimulant. Rubefacient. Sialagogue. Errhine.
3150 Ginger, Soluble
3151 Golden Seal, U. S. P., Hydrastis Canadensis (Assayed) .10 to 30 min. 3 2 Aperient, Alterative, Cholagogue, Deobstruent, Tonic.
3152 Golden Seal (without Alcohol)
3153 Golden Seal (colorless)
3154 Golden Rod, Solidago Odora
Bitter Tonic.  3!56 Gravel Plant, Epigæa Repens
Diuretic, Astringent.  3157 Grindelia Robusta, U.S.P
Expectorant, Remedy for Asthma.  3158 Grindelia Squarrosa
3159 Guaiacum Resin, Guaiacum Officinale
3160 Gualacum Wood, Guaiacum Officinale 1 to 2 fl. 3. 1 0 Stimulant, Diaphoretic.
3161 Guaiacum Ammoniated
3162 Guarana, Paullinia Sorbilis, U. S. P. (Assayed)10 to 30 min. 5 0 Astringent, Nervine Tonic.
3163 Hair-Cap Moss, Polytrichum Juniperum
3164 Hellebore, American, U.S. P., Veratrum Viride 2 to 4 min. 1 5 Narcotic, Sedative, Emetic, Alterative.  3165 Hellebore, White, Veratrum Album
Cathartie, Emetic, Sedative.  3166 Helonias Compound
Uterine Tonic. Squaw Vine
3167 Hemlock, Pinus or Abies Canadensis
3168 Henbane, U. S. P., Hyoscyamus Niger (Assayed) 5 to 10 min. 1 2 Powerful Narcotic Poison, Antiseptic.
3169 Horehound, Marrubium Vulgare
3170 Hop, Humulus Lupulus
3171 Horse Chestnut Bark, Æsculus Hippocastanum 30 to 60 min. 1 2 Malarial Tonic.
3172 Hydrangea, Hydrangea Arborescens
3172½ Hydrangea with Lithium Salts

grs.

	FLUID EXTRACTS.	Dos			D.,	- 11-
3152	Hydrastis, without Alcohol (see Golden Seal, without Alcohol).	Dos	se.		re	r lb
3173		1 to	5	min.	<b>\$</b> 2	10
3174	Indian Hemp (Foreign), U. S. P., Cannabis Sativa (Assayed)	2 to	5	min.	3	00
	Indian Hemp, Black, Apocynum Cannabinum 3 Emetic, Cathartic, Diuretic.			min.	1	20
3176	Indian Hemp, White, Asclepias Incarnata1 Emetic, Cathartic, Anthelmintic.	0 to	40	min.	1	50
3177	Ipecac, U.S. P., Cephaelis Ipecacuanha (Assayed) 5 Emetic, Stimulant, Diaphoretic, Expectorant.	to	60	min.	9	50
3178	Ipecac and Opium, U.S.P., Tincture (Assayed) 1 Each minim represents one grain Dover's Powder, U.S.P.	to	10	min.	3	00
	Ipecac and Senega					
3180	Jaborandi, U. S. P., Pilocarpus Pennatifolius (Assayed) 20 Sialogogue, Diaphoretic, Diuretic.	to	60	min.	2 8	50
3181	Jalap, Exogonium Purga (Assayed)	to	60 :	min.	2 (	00
	Jamaica Dogwood			a. 3.		
	Jambul Seed, Eugenia Jambolana		10 1	min.	5 (	00
3184	Juniper Berries, Juniperus Communis	to	1 1	fl. 3.	1 (	00
3185	Kamala, Mallotus Philippinensis	to		fl. 3.		
	Kave Kave, Piper Methysticum					
	Kino, Pterocarpus Marsupium				2 (	00
	Kola (the Seeds), Sterculia Acuminata (Assayed)10 Nervine, Stimulant, 🚁 i		30 ı	min.	2 (	00
	Koosso, Brayera Anthelmintica, U. S. P 2 Vermifuge, Purgative.			A. 3.		
	Ladics' Slipper, U.S. P., Cypripedium Pubescens 1 Anti-spasmodic, Diaphoretic, Narcotic, Nerve Tonic.					
3191	Lactucarium, Lactuca Virosa	to	10	min.1	5 (	0
3132	Acrid Poison, Parasiticide	to	2 r	nin.	3 5	50
	Lavender Comp. 5 For making Spiritus Lavendulæ Comp., U. S. P. 1000 C. C. represents One pint represents about 32 c c. Oil Lavender Flowers. 245 m. 8 cc. Oil Rosemary 61 m. 80 gm. Cassia Cinnamom. 1 oz. 20 gm. Cloves. 0z. 40 gm. Nutmeg. 0z. 40 gm. Red Saunders 0z.					
	Lettuce, Lactuca Sativa					
3195	Life Everlasting, Gnaphalium Margaritaeeum	to 6	0 r	nin.	1 (	00
3196	Life Root, Senecio Aureus	to	2 f	1. 3.	1 (	00
3197	Licorice, U. S. P., Glycyrrhiza Glabra		2 fl	1. 3.	1 (	00

	FLUID EXTRACTS.
3198	Licorice Root (for Quinine mixture), Glycyrrhiza
	Glabra
3199	Lily of the Valley, Convallaria Majalis
3200	Liverwort, Hepatica Americana
3201	Lobelia, U. S. P., Lobelia Inflata 5 to 30 min. 1 05 Cathartic, Diaphoretic, Emetic, Expectorant, Narcotic.
3202	2 Lobelia Seed, Lobelia Inflata 3 to 5 min. 2 50 Diaphoretic, Emetic, Expectorant, Narcotic.
3203	B Logwood, Hæmatoxylon Campechianum30 to 60 min. 90 Astringent.
3204	Lupulin, U. S. P
3205	Male Fern, Aspidium Filix Mas
	Manaca, Franciscea Uniflora
3207	'Mandrake, U. S. P., Podophyllum Peltatum (Assayed). 10 to 20 min. 1 05 Cathartic.
3209	Mandrake Compound
3209	Mango Bark, Mangifera, Indica
3210	Tonic, Urinary and Genital Organs.  Manzanita, Arcostaphylos Glauca
3211	Marigold, Calendula Officinalis
3212	Marshmallow, Althæ Officinalis
3213	Matico, U. S. P., Artanthe Elongata ½ to 1 fl. 3. 1 80 Aromatic, Stimulant, Urinary Tonic.
	Mezereon Bark, U. S. P., Daphne Mezereum and Daphne Gnidium
3216	Milk Weed, Asclepias Syriaca
3217	Mistletoe, Viscum Album
	Motherwort, Leonurus Cardiaca
3219	Mugwort, Artemisia Vulgaris
3220	Mullein Leaf and Top, Verbascum Thapsus
	Musk Root, Ferula Sumbul
	Myrrh, Balsamodendron Myrrha
3223	Myrrh and Capsicum
3224	Nettle (common), Urtica Dioica
3084	Night-Blooming Cereus, Cactus Grandiflora 2 to 5 min. 4 00 Arterial Sedative.

FLUID EXTRACTS.  Dose. Po	er lb
3225 Nutmegs, Myristica Fragans	3 00
3226 Nux Vomica, U. S. P., Strychnos Nux Vom (Assayed) 1 to 5 min. Diuretic, Diaphoretic, Tonic, Laxative.	1 25
3227 Oats, Avena Sativa	
3228 Opium, Papaver Somniferum (Assayed)	5 50
3229 Oplum, Camphorated	1 75
3230 Opium (Aqueous), U. S. P., 1890, Tr. Assayed. Papaver Somniferum	1 75
3231 Opium (Deodorized and Denarcotized), Concentrated for Physicians use	6 00
3232 Orange Peel (sweet), Citrus Aurantium	1 50
3233 Orange Peel (bitter), U. S. P., Citrus Vulgaris ½ to 2 fl. 3. Aromatic.	1 40
3234 Orris Root, U. S. P., Iris Florentina	1 50
3235 Pansy, Viola Tricolor	1 20
3236 Pareira Brava, U. S. P., Chondodendron Tomentosum. ½ to 1 fl. 3.  Aperient, Diuretic, Tonic.	1 75
3237 Parsley Root, Petroselinum Sativum	1 20
Stimulant, Diuretic, Carminative.	1 35
Narcotic, as Succedanum to Morphia.	2 00
Sedative, Vermifuge.	1 25
Stimulant, Sialagogue. 5 to 20 min.	25
3242 Pennyroyal, Hedeoma Pulegioides	00
3243 Peppermint, Mentha Piperita. ½ to 1 fl. 3.	
3244 Pichi, Fabiana Imbricata	
3245 Pink Root, U. S. P., Spigelia Marilandica. ½ to 1 fl. 3. Powerful Anthelmintic.	50
3246 Pink Root and Senna	. 50
32464 Pinus Canadansis (colorlass)	. 00
32468 Pinus Canadensis (dark)	25
Astringent, Diuretic, Tonic	
Anodyne, Astringent, Demilicent	00
Diuretic, Diaphoretic, Expectorant Plauvitic 2 fl. 3.	
Narcotic, Irritant Poison. 2 to 10 min.	80
3250A Poke Berries, Phytolacca Dacandra	50

	FLUID EXTRACTS.  Dose, Per lb;
3251	Poke Root, Phytolacca Decandra
3252	Pomegranate Bark, Punica Granatum 1 to 2 fl. 3. 1 25 Specific for Tænia, Vermifuge.
3253	Poplar Bark, Populus Tremuloides
3254	Poppy Heads, Papaver Somniferum
3255	Prickly-Ash Bark, U. S. P., Xanthoxylum Fraxineum .10 to 30 min. 1 10 Alterative, Sialagogue, Stimulant, Tonic.
3256	Prickly-Ash Berries, Xanthoxyllum Fraxineum 10 to 30 min. 3 00 Alterative, Sialagogue, Stimulant, Anti-spasmodic.
	Pulsatilla, Anemone Pulsatilla
3258	Pumpkin Seed, Cucurbita Pepo
	Quassia, Picrena Excelsa, U.S.P
3260	Quebracho Bark, Aspidosperma Quebracho, variety Blancho
3261	Queen of the Meadow, Eupatorium Purpureum30 to 50 min. 1 00 Tonic, Astringent, Diuretic.
3262	Queen's Root, U. S. P., Stillingia Sylvatica 1 to 2 fl. 3. 1 50 Alterative, Cathartic, Emetic.
3263	Queen's Root Comp.       1 to 2 fl. 3. 1 50         Alterative, Cathartic.       4 ozs.         Queen's Root       4 ozs.         Turkey Corn       4 ozs.         Pipsissewa       2 ozs.         Blue Flag       2 ozs.         Elder Flowers       2 ozs.         Prickley Ash Berries       1 oz.         Coriander       1 oz.
	Astringent, Tonic.
3265	Rhubarb, U. S. P., Rheum Palmatum(Assayed)20 to 40 min. 2 25 Astringent, Cathartic, Carminative, Tonic.
3266	Rhubarb, Aromatic
3267	Rhubarb and Senna.       1 to 2 fl.3, 1 80         Cathartic Laxative.       8 ozs.         Senna.       8 ozs.
	Rhubarb and Potassa Compound
3269	Rhubarb (sweet)
3270	Rhus Aromatica, Rhus Triloba20 to 60 min. 3 00 Diuretic, Astringent, Stimulant.
	Rose Leaves, U. S. P., Rosa Centifolia
	Rosin Weed, Silphium Gummiferum
3272	Rue, Ruta Garveolens

FLUID EXTRACTS

	-
FLUID EXTRACTS.	
3273 Sage, Salvia Officinalis	
3274 Sandalwood, Santalum Album 1 to 2 fl. 3.3 (Refrigerant, Diuretic. Specific for gonorrhœa.	
3275 Sarsaparilla, U.S. P., Similax Officinalis 1 to 2 fl. 3. 1 5 Alterative, Diaphoretic, Stimulant.	50
3276 Sarsaparilla Comp., U. S. P	60
Afterative.  100 C. C. represents One pint represents about  75 gm. Sarsaparilla	
3277 Sarsaparilla Comp. for Syrup	0
2011 Sarsaparilla and Dandelion	0
Dandelion	0
3279 Savin, U.S. P. Juninerus Sabina	
Anthelmintic, Diuretic, Diaphoretic, Emmenagogue.  3280 Saw Palmetto, Serenoa Serrulata	
3281 Scullcan, U. S. P. Scutellaria Lateriflora	
3282 Seawrack, Fucus Vesiculosus	
For reducing obesity.  3283 Senega U.S.P., Polygala Senega	
3284 Senna, U. S. P., Cassia Acutifolia	
2012 Senna Comp. (with Aromatics)	
Prompt Cathartic	
3285 Serpentaria, U.S. P., Aristolochia Serpentaria30 to 60 min. 1 75 Diuretic, Diaphoretic, Stimulant, Tonic.	
3286 Simaruba, Simaruba Officinalis	
Anti-spasmodic, Narcotic Stimulant	
Tonic, Astringent, Demulcent. 10 to 30 min. 1 00 3290 Spikenard, Aralia Racemore.	
3290 Spikenard, Aralia Racemosa	
3291 Spiny Clothur, Xantheum Spinosum	
3292 Squaw Vine, Mitchella Repens	
Uterine Tonic. (See Helonias Compound.) 1 to 2 fl. 3. 1 50	

FLUID EXTRACTS.	Dos	e.	Pe	r. l	b.
3294 Squill, U. S. P., Urginea Scilla	5 to	60	min.	1 (	00
3295 Squill Comp.   Diuretic, Emetic, Expectorant.   Squills.   8 ozs.   Senega   8 ozs.	5 to	10	min.	1 7	75
3315 Star Grass, Aletris Farinosa	5 to	15	min.	1 :	80
3296 Stavesacre Seed, Delphinium Staphisagria	1 to	2	min.	2	50
3297 Stone Root, Collinsonia Canadensis Stimulant, Irritant.	30 to	60	min.	1	05
3298 Stramonium Leaves, Datura Stramonium (Assayed) Anti-spasmodic, Narcotic Poison, Sedative.	2 to	5	min.	1	20
3299 Stramonium Seed, U. S. P., Datura Stramonium (Assayed)	1 to	3	min.	1	05
3300 Sumach Berries, U. S. P., Rhus Glabrum	1 to	2	fl. 3.	1	00
3301 Sundew, Drosera Rotundifolia	.20 to	60	min.	2	50
3302 Sunflower Seeds, Helianthus Annuus Diuretic, Expectorant.	. ½ to	1	fl. 3.	1	20
3303 Sweet Fern, Comptonia Asplenifolia  Demulcent, Astringent.				1	00
3304 Tag Alder, Alnus Rubra	.20 to	60	min.	1	00
3305 Tamarac Bark, Larix Americana	.30 to	60	min.		20
3306 Tansy, Tanacetum VulgareStimulant, Emmenagogue, Narcotic.	30 to	60	min.	1	00
3307 Tolu, Myroxylon Toluifera	1 to		fl. 3.		
3308 Tolu, Myroxylon Toluifera	. 5 to	15	min.	2	00
For Flavoring. Sedative in Whooping Cough.		19	min.		00
3309A Trifolium Comp. Used for Making Syrup				2	UU
Each fl. oz. represents Red Clover	15 44	. 20	min	1	00
Aromatic, Stimulant, Tonic.					
3311 Turkey Corn, Corydalis Formosa		00	111111.		20
3312 Turmeric, Curcuma Longa		30	min		
3313 Twin Leaf, Jeffersonia Diphylla. Tonie, Expectorant.	20 to	40	min.	1	80
3314 Unicorn, False, Helonias Dioica Tonic, Diuretic.	.20 to	40	min	1	
3315 Unicorn Root, Aletris Farinosa	.30 to	60	min.		00
3316 Uva Ursi, U. S. P., Arctostaphylos Uva Ursi Astringent, Diuretic, Tonic. 3317 Valerian, U. S. P., Valeriana Officinalis	. 15 to	30	min.	1	10
Nerve Stimulant.  3318 Vervain, Verbena Hastata	.10 to	60	min.		
Nerve Stimulant. 3318 Vervain, Verbena Hastata Tonic, Expectorant, Sudorific. 3164 Veratrum Viride (see American Hellebore).					
order that the the thinks the thinks					

	FLUID EXTRACTS.	Dos	0	'n	^**	lb.
3343	Viburnum Comp	to	2	fl. 3.	1	50
3319	Virginia Stone Crop, Penthorum Sedoides	0 to	60	min.	2	40
3320	Wafer Ash, Ptelea Trifoliata	0 to	60	min.	1	10
3321	Wahoo Bark, Euonymus Atropurpureus True Cholagogue, Laxative, Tonic.	to	1	fl. 3.	1	50
3322	Water Eryngo, Eryngium Yuccæfolium	0 to	40	mın.	1	05
3323	Water Pepper, Polygonum Punctatum	5 to	30	min.	1	00
	White-Oak Bark, Quercus Alba					
3225	White Pine, Pinus Strobus	to	1	fl. 3.	1	00
	White Pine Comp., Pinus Comp.           White Pine Bark.         4 ozs. 170 grs.           Wild Cherry.         4 ozs. 170 grs.           Balm Gilead Buds.         256 grs.           Spikenard.         256 grs.           Blood Root.         224 grs.           Sassafras.         128 grs.					75
3327	White Willow, Salix Alba	0 to	30	min.	1	00
3328	Wild Indigo, Baptisia Tinctoria	5 to	20	min.	1	00
	Wild Yam, Dioscorea Villosa					
3330	Wintergreen, Gaultheria Procumbens	l to	2	fl. 5.	1	00
	Witch Hazel, U. S. P., Hamamelis Virginica Astringent, Sedative, Tonic.					
	Wormwood, Artemisia Absinthium	) to	30	min.	1	00
3333	Wormseed, Chenopodium Ambrosioides, var. Anthel-	) to	60	min.	1	00
3334	Anthelmintic, Anti-spasmodic.  Yarrow, Achillea Millefolium Alterative, Astringent, Aromatic, Tonic.					
3335	reliow Dock, U. S. P., Rumex Crispus	to		fl. 3.		
3336	Alterative, Astringent, Detergent, Tonic.  Yellow Jasemine, U. S. P., Gelsemium Sempervirens Febrifuge, Nerve and Arterial Sedative.	2 to	5	min.	1	25
3337	Yellow Parilla, Menispermum Canadense	) to	60	min.	1	20
3338	Yellow Poplar Bark, Liriodendron Tulip	to	1	fl. 3.	1	00
3339	Yerba Buena, Micromeria Douglassii Aromatic, Tonic, Stimulant.	to	1	fl. 5.	2	00
3340	Yerba Reuma, Frankenia Grandifolia	5 to	30	min.	2	50
3341	Yerba Santa, Eriodictyon Glutin and Californ	5 to	60	min.	2	00
3342	Yerba Santa, Aromatic, Eriodictyon Californicum For making the Syrup and Elixir of Yerba Santa.	to to	1	fl. 3.	1	75

Don

Por

### MEDICINAL ELIXIRS.

These Elixirs are recommended to the profession as combining all the advantages usually afforded by similar preparations. They are carefully prepared of the full medicinal strength represented by the formulæ on the labels. In elegance, flavor and purity they are not surpassed by any made.

## Special Prices Furnished in Lots of 5 Gallons and over, of one kind.

Subject to Discount.

	***	Per	Per
	Per	five	doz.
	gal.	pints	pints.
	Inc	eluding Bo	ttles.
3344 Adjuvans, N. F	\$3 20	<b>\$</b> 2 25	\$6 60
2015 Aloin, Strychnine and Belladonna		3 00	8 00
Each fluid dram represents		0 00	
Aloin ‡ gr.			
Strychnine1-60 gr.			
Belladonna ½ gr.			
3345 Ammonium Bromide	4 50	3 25	9 00
Each fluid dram contains		0 00	
Ammonium Bromide 5 grs.			
3346 Ammonium Valerianate	5.00	3 50	10 00
Each fluid dram contains		0 00	10 00
Ammonium Valerianate 2 grs.			
2016 Ammonium Valerianate and Morphine	5.00	3 50	10 00
Each fluid dram contains	5 00	3 30	10 00
Ammonium Valerianate 2 grs.			
Morphine Valerianate 1-16 gr.			
2017 Ammonium Valerianate and Quinine	6.00	4 00	10 80
Each fluid dram contains	0 00	3 00	10 00
Ammonium Valerianate 2 grs.			
Quinine Valerianate1-16 gr.			
2018 Ammonium Valerianate, Quinine and Stry	ch.		
nine	6 00	4 00	10 80
Each fluid dram contains		1 00	20 00
Ammonium Valerianate 2 grs.			
Quinine Valerianate1-16 gr.			
Strychnine Valerianate1-60 gr.			
3347 Bark and Iron	4 00	2 80	7 50
Iron Protoxide and Peruvian Bark.			
Each fluid dram represents			
True Calisaya Bark 5 grs.			
Iron Protoxide 1 gr.			
3348 Berberine and Iron	7 00	4 50	12 00
Each fluid dram contains			
Berberine Phosphate ‡ gr.			
Iron Pyrophosphate ½ gr.			
3349 Bismuth	4 50	3 25	9 00
Each fluid dram contains			
Bismuth Citrate 2 grs.			
2019 Bismuth Ferrated	4 50	3 25	9 00
Each fluid dram contains			
Bismuth Citrate 2 grs.			
Citrate Iron 1 gr.			
2020 Bismuth and Pancreatin	6 00	4 00	10 80
Each fluid dram contains			
Bismuth Citrate 1 gr.			
Pancreatin, Pure 1 gr.			

	MEDICINAL ELIXIRS.	Per gal.	Per five pints uding Bot	Per doz. pints.
0001	Bismuth and Strychnine		\$3 25	\$9 00
2021	Each fuild dram contains Bismuth Citrate	Φ3- 00	<b>\$3 23</b>	Ф9 UU
2022	Black Cohosh Comp   Each fluid dram repserents	4 30	3 00	8 40
2023	Black Haw Each fluid dram represents Black Haw Bark10 grs.	4 50	3 25	9 00
2024	Blue Flag  Each fluid dram represents  Blue Flag	4 30	3 00	8 40
3350	Bromo Chloral Comp.  Each fluid dram represents Potassium Bromide	6 00	4 00	10 80
2025	Buchu Each fluid dram represents Buchu	4 50	3 25	9 00
2026	Buchu Comp           Each fluid dram represents           Buchu	5 50	3 75	10 50
2027	Buchu and Juniper Comp.  Each fluid dram represents Buchu	5 00	3 50	9 60
3351	Buchu, Juniper and Potassium Acetate           Each fluid dram represents         Buchu	4 65	3 50	9 75
	Buchu and Pareira Brava  Each fluid dram represents Buchu		3 25	9 00
2029	Each fluid dram represents Buckthorn Bark	4 50	3 25	9 00
2030	Buckthorn Comp.           Each fluid dram represents         8 grs.           Buchthorn.         8 grs.           Senna.         4 grs.           Mandrake.         1 gr.           Rochelle Salts.         5 grs.	5 00	3 50	9 60
2031	Caffeine Citrate  Each fluid dram contains Caffeine Citrate	6 00	4 00	10 80
2032	Calcium Iodide	6 80	4 50	12 00
3352	Calisaya Bark  Each fluid dram represents  True Calisaya Bark	4 00	2 80	7 50
2033	Calisaya Bark and Bismuth.  Each fluid draw represents True Calisaya Bark	. 4 00	2 80	7 50

MEDICINAL ELIXIRS.	Per.	Per five Pints.	Per doz. Pints
	Inc	cluding Be	
2034 Calisaya Bark, Bismuth and Strychnine  Each fluid dram represents  True Calisaya Bark	.\$4 50	\$3 25	\$9 00
2035 Calisaya Bark, Detapnated  Each fluid dram represents  True Calisaya Bark 5 grs.	4 30	3 00	8 40
2036 Calisaya Bark and Iron  Each fluid dram represents  True Calisaya Bark 5 grs.  Iron Pyrophosphate 2 grs.	4 00	2 75	7 50
2037 Calisaya Bark and Iron Lactate	5 00	3 50	9 60
2038 Calisaya Bark, Iron and Bismuth  Each fluid dram represents  True Calisaya Bark 5 grs.  Iron Pyrophosphate 1 gr.  Bismuth Citrate 1 gr.	4 00	2 75	7 50
2039 Calisaya Bark, Iron, Bismuth and Pepsin  Each fluid dram represents  True Calisaya Bark	7 00	4 50	12 00
2040 Calisaya Bark, Iron, Bismuth, Pepsin and Strychnine. Each fluid dram represents True Calisaya Bark 5 grs. Iron Pyrophosphate 1 gr. Bismuth Citrate 1 gr. Pepsin 5 grs Strychnine 1-60 gr. 2041 Calisaya Bark, Iron, Bismuth and Strychnine	7 00	4 50	12 00
2041 Calisaya Bark, Iron, Bismuth and Strychnine Each fluid dram represents True Calisaya Bark 5 grs. Iron Pyrophosphate 1 gr. Bismuth Citrate 1 gr. Strychnine 1-60 gr.	e4 50	3 25	9 00
2042 Calisaya Bark, Iron and Pepsin.  Each fluid dram represents True Calisaya Bark. 5 grs. Iron Pyrophosphate. 1 gr. Pepsin. 5 grs.	6 00	4 00	10 80
2043 Calisaya Bark, Iron and Phosphorus.  Each fluid dram represents True Calisaya Bark	4 50	3 25	9 00
3353 Calisaya Bark, Iron and Strychnine  Each fluid dram represents  True Calisaya Bark 5 grs.  Iron Pyrophosphate 2 grs.  Strychnine	4 00	2 80	7 50
2044 Calisaya Bark, Iron, Strychnine and Pepsin  Each fluid dram represents True Calisaya Bark 5 grs. Iron Pyrophosphate 1 gr. Strychnine 1-60 gr. Pepsin 5 grs.	5 00	3 50	9 60
2045 Calisaya Bark, Pepsin and Bismuth	. 6 00	4 00	10 80
True Calisaya Bark       5 grs.         Pepsin       5 grs.         Bismuth Citrate       1 gr.			

**ELIXIRS** 

	MEDICINAL ELIXIRS.	Per gal. Inc	Per five pints. luding Bo	Per doz. pints.
2046	6 Calisaya Bark, Pepsin, Bismuth and Strychnine Each fluid dram represents True Calisaya Bark 5 grs. Pepsin 5 grs. Bismuth Citrate 1 gr. Strychnine 1-60 gr.		\$4 00	\$10 80
	Cascara Sagrada		3 25 3 25	9 00 9 00
3356	Each fluid dram represents   Each fluid dram represents   Rhubarb	4_50	3 25	9 00
2047	Celery  Each fluid dram represents Celery Seed 5 grs	4 30	3 00	8 40
	Celery Comp Each fluid dram represents Celery Seed		3 50	9 60
	Each fluid dram represents Celery Seed		3 50	9 60
	Each fluid dram represents Celery Seed		4 50	12 00
	Each fluid dram contains Chloral Hydrate 5 grs		3 75	10 20
	Each fluid dram represents Iron Citrate		2 80	7 50
	Each fluid dram contains Protochloride Iron 1 gr. Chloride Arsenic 1-140 gr. Bichloride Mercury 1-64 gr. Calisaya Alkaloids representing Calisaya Bark.	<b>i</b> 50	3 25	9 00
	Each fluid dram represents Coca Leaves		3 25	9 00
	Each fluid dram represents  Coca		3 75	10 20
2052	Fook duid de	7 00	.4 50	12 00
2053	Coca Leaves 8 grs. Guarana 8 grs. Coca and Phosphorus 5 Grach fluid dram represents 6 Coca Leaves 10 grs. Phosphorus 1-100 gr.	7 00	4 50	12 00

MEDICINAL ELIXIRS.	Per gal. Inc	Per five pints.	Per doz. pints.
2054 Corydalis Comp		\$3 00	\$8 00
Each fluid dram represents       4 grs.         Turkey Corn.       4 grs.         Stillingia.       2 grs.         Prickly Ash Bark.       2 grs.         Twin Leaf.       2 grs.         Blue Flag.       1 gr.         Sheep Laurel.       1 gr.         Potassium Iodide       1 gr.         With Aromatics.			
2055 Coto Bark  Each fluid dram represents Coto Bark	.6 80	4 50	12 00
2056 Damiana  Each fluid dram represents  Damiana 8 grs.	4 75	3 50	9 75
2057 Damiana, Iron and Nux Vomica Each fluid dram represents Damiana	4 75	3 50	9 75
Extract Nux Vomica	4 75	3 50	9 75
Phosphorus	4 30	3 00	8 40
3359   Dandelion Comp.   Each fluid dram represents   Dandelion.   10 grs.   Cherry Bark.   10 grs.   Licorice Root.   10 grs.   Aromatics.   10 grs.	4 25	3 00	8 00
Each fluid dram represents   Aloes	5 00	3 50	9 60
2060 Eucalyptus  Each fluid dram represents  Eucalyptus	4 50	3 25	9 00
2061 Eucalyptus Comp  Each fluid dram represents  Eucalyptus	5 00	3 50	9 60
2062 Gentian	4 00	2 80	7 50
2063 Gentian Comp.           Each fluid dram represents         2 grs.           Gentian.         2 grs.           Orange Peel.         1 gr.           Cardamom         2 grs.	4 50	3 25	9 00
3360 Gentian and Iron Chloride	4 00	2 80	7 50
	4 25	3 00	8 00

MEDICINAL ELIXIRS.	Per gal. Incl	Per five pints uding Bo	Per doz. pints
2065 Gentian, Iron and Strychnine		\$3 00	\$8 40
Each fluid dram represents Gentian. 4 grs. Iron Pyrophosphate. 2 grs. Strychnine. 1-60 gr.	<b>V</b> 100	<i>\$6</i> 00	\$0 AC
2066 Grindelia Robusta Each fluid dram represents Grindelia Robusta	.4 25	3 00	8 00
2067 Guarana		5 00	13 50
2068 Helonias  Each fluid dram represents Helonias Root		3 25	9 00
Blue Cohosh		3 25	9 00
2069 Hypophosphites Comp  Each fluid dram contains Calcium Hypophosphite 1 gr. Sodium Hypophosphite 1 gr. Iron Hypophosphite 1 gr. Potassium Hypophosphite 2 gr.		3 75	10 20
Each fluid dram contains   1 gr.   Strychnine   1-60 gr.		3 25	9 00
Each fluid dram contains Iron Pyrophosphate 2 grs		3 00	8 00
Each fluid dram contains Iron Pyrophosphate 1 gr. Bismuth Citrate 1 gr.		3 25	9 00
20/2 Iron Pyrophosphate, Bismuth and Quinine Each fluid dram contains Iron Pyrophosphate 1 gr. Bismuth Citrate 1 gr. Quinine Sulphate 1 gr.		4 00	10 80
Each fluid dram contains Iron Pyrophosphate, Bismuth and Strychnine. Iron Pyrophosphate 1 gr. Bismuth Citrate 1 gr. Strychnine 1 gr.		3 75	10 20
Each fluid dram contains  Iron Pyrophosphate		3 50	9 75
Each fluid dram contains Iron Pyrophosphate, Quinine and Arsenic Iron Pyrophosphate		3 50	9 75
Each fluid dram contains Iron Pyrophosphate 1 gr. Strychnine		3 25	9 00
Each fluid oz. represents  Iron Metallic		4 00	11 00
2078 Iron and Quinine Phosphates  Each fluid dram contains  Iron Phosphate	4 75	3 50	9 75

	MEDICINAL ELIXIRS.	Per gal.	Per five pints, uding Bot	Per doz. pints tles.
3363	Iron, Quinine and Strychnine Phosphates		\$3 50	\$9 75
	Each fluid dram contains Iron Phosphate		***	40 10
3364	Fron and True Salicylic Acid	4 75	3 50	9 75
	Iron Tincture, Muriate (tasteless)		2 75	7 50
3375	Kola Compound           Each fluid dram contains           Koia	4 50	3 25	9 00
3365	Laxative Comp., Improved         Each fluid dram represents         Cascara Sagrada Bark	4 75	3 50	9. 75
2080	Licorice Aromatic, or Quinine Elixir A vehicle for Quinine and other bitter or nauseating remedies	3 65	2 50	7 00
3378	Lime Juice and Pepsin	4 30	3 00	8 40
			5 00	13 50
	Each fluid dram contains Lithium Citrate 2 grs.			
2082			3 25	9 00
2083	Matico Comp.           Each fiuid dram represents         10 grs.           Matico         6 grs.           Cubeb         6 grs.           Buchu         6 grs.	4 50	3 25	9 00
2084	Pancreatin Each fluid dram contains Pancreatin 1 gr.	5 50	3 75	10 20
2085	Pepsin Each fluid dram contains Pepsin	5 00	3 50	9 60
3376	Pepsin, Bismuth and Strychnine  Each fluid dram contains Pepsin	7 00	4 50	12 00
3367	Pepsin and Bismuth         Each fluid dram contains           Pepsin	6 00	4 00	11 00
2086	Pepsin, Bismuth and Ginger	6 00	4 00	11 00
	Pepsin         5 grs.           Bismuth Citrate         1 gr.           Tr. Ginger         2 min.			

	MEDICINAL ELIXIRS.	Per gal.	Per five pints. luding Bot	Per doz. pints
2100	Pepsin, Quinine and Strychnine		\$4 00	\$10 80
	Each fluid dram contains Pepsin			
2101	Pepsin and Wafer Ash Each fluid dram represents Pepsin	.7 25	4 75	10 80
2102	Phosphorus  Each fluid dram contains Free Phosphorus1-50 gr.	.4 50	3 25	9 00
3 368	Phosphorus, Nux Vomica and Damiana  Each fluid dram represents Free Phosphorus1-100 gr. Nux Vomica1 gr. Damiana8 grs.	.6 00	4 00	10 80
3369	Potassium Bromide	4 25	3 00	8 00
2103	Quinine and Arsenic  Each fluid dram contains  Quinine Sulphate 1 gr.  Arsenic1-16 gr.	.6 00	4 00	10 80
2104	Quinine and Nitro-muriatic Acid Each fluid dram contains Quinine	.6 00	4 00	10 80
2105	Quinine and Strychnine  Each fluid dram contains Quinine Sulphate1 gr. Strychnine1-60 gr.	6 00	4 00	10 80
2106	Rhubarb  Each fluid dram represents Rhubarb	.6 00	4 00	10 80
3370	Rheumatic.  Each fluid dram contains Salicylate Soda	6 80	4 50	12 00
3 371	Salicylic Acid Comp.           Each fluid dram represents         5 grs.           Salicylic Acid	6 80	4 50	12 80
2107	Sanguinaria Comp.           Each fluid dram contains         1½ grs.           Sanguinaria	.6 00	4 00	10 80
2108	Santonine	.6 80	4 50	12 00
2109	Senna  Each fluid dram represents Senna	.6 80	4 50	12 00
2110	Senna Comp           Each fluid dram represents         4 grs.           Rhubarb	.6 80	4 50	12 00
3372	Simple, Red	.3 00	2 00	6 00
2111	Simple, White	.3 00	2 00	6 00

MEDICINAL ELIXIRS.	Per gal.	Per five pints	Per doz.
		uding Bo	ttles.
2112 Sodium Bromide\$  Each fluid dram contains Sodium Bromide	4 25	\$3 00	<b>\$</b> 8 00
Each fiuid dram represents   Stillingia	4 25	3 00	8 00
Safe	6 80	4 50	12 00
3378 Tonga Compound.	6 75	4 50	12 00
2114 Wahoo Each fluid dram represents Wahoo Root Bark	1 75	3 50	9 75

# ERRORS, SHORTAGES, BREAKAGES, OVERCHARGES, ETC.

We are often asked to explain why we are so free from errors, shortages, overcharges, breakages and other unsatisfactory annoyances that usually occur in business. We use original, copyrighted systems, double checking THEN AND THERE all work. Everything in our building has its fixed and numbered place. All orders are filled by checking the number and name and verifying by name and number, and are then doubly inspected. Shortages are avoided by double checking, and small packages are put in bags marked "Do not overlook in unpacking." Overcharges do not often occur because each customer is given a "Case File." which shows State, Town, Name, Business, Address, Date, Salesman, Credit. Average, How Often, Population, Ledger Page, Price Lists Sent, Samples Sent, Advertising Sent, Letters, Calls, Responds, Specialties Sold, Railroad, Complaints, Remarks, Special Formulas, Prices Quoted. Prices Charged. His case and wants are thoroughly understood and filled. We are exacting in having all checks thinking ones, and insisting upon perfect work. We have many visits from those in this and other lines, inspecting our advanced systems, who compliment them highly.



WRAPPING ROOM.



TABLET ORDER ROOM.



# MEDICINAL SYRUPS

We sell all syrups by measure instead of by weight, as is the usual custom. Each gallon package will contain about ten pounds of syrup, or one and one-quarter pounds to the pint. Special prices given in five-gallon lots or over.

Subject to... Discount.

1 Gal

5 Pint

Per

		Bots	ea	ots.	doz. Pints Bottles.	
2115	Acacia, U.S.P	2 20	<b>\$</b> 2	-	\$7 20	
	Aromatic			65	4 50	
	Blackberry Aromatic		_	60	7 20	
2111	Each fluid dram represents Blackberry Root 3 grs.	5 60		00	, 20	
	Combined with Aromatics.					
3380	Bromides Compound	6 80	4	50	12 00	
	Sodium Bromide					
2118	Calcium Hypophosphite  Each fluid dram contains Calcium Hypophosphite 2 grs.	4 25	3	00	8 00	
2119	Calcium Iodide Each fluid dram contains Calcium Iodide 1 gr.	7 00	4	50	12 00	
3381	Calcium and Sodium Hypophosphites	4 75	3	50	9 75	
	(Churchill's formula, A.) Each fluid dram contains Calcium Hypophosphite 2 grs. Sodium Hypophosphite 2 grs.					
2120	Calcium, Sodium and Potassium Hypo-			~~	10.00	
	phosphites	6 80	. 4	50	12 00	
2121	Citric Acid, U. S. P	3 40	2	25	6 00	
	Dovers Powder		3	25	9 00	
	Each fluid dram represents 10 grains of Dovers Powder.					
2122	Ginger, U.S. P	3 60	_	50	7 20	
2123	Horehound Comp Each fluid ounce represents	3 80	2	60	7 20	
	Horehound					
	Spikenard					
	Comfrey					
3383	Hydriodic Acid, U. S. P. (Unalterable)	6 80	4	50	12 00	
3384	Hypophosphite Comp	4 50		25	9 00	
0004	Each fluid dram contains Calcium Hypophosphite 2 grs.					
	Sodium Hypophosphite 2 grs. Potassium Hypophosphite 1 gr. Iron Hypophosphite ½ gr.					

1 Ga		Per
SYRUPS. Bot eac		doz Pints. ttles.
3385 Hypophosphite Comp., Hematic\$4 00		<b>\$</b> 7 50
Each fluid dram contains Calcium Hypophosphite  gr.		
Calcium Hypophosphite gr. Potassium Hypophosphite gr. Manganese Hypophosphite gr.		
Iron Hypophosphite		
	2 50	7 00
2124 Hypophosphites Compound, National Formulary  Each fluid dram contains  Calcium Hypophosphite 2 grs	2 00	. 00
Each fluid dram contains Calcium Hypophosphite		
Manganese Hypophosphite † gr. Potassium Hypophosphite 1 gr.		
Iron Hypophosphite		
Tinct. Nux Vomica1‡ min. 2125 Ipecac, U. S. P	3 50	9 60
3386 Iron Iodide, U. S. P. (by weight)		10 00 12 00
<b>3387 Iron Iodide</b> , tasteless (by weight)	4 00	10 80
Each fluid dram contains Iron Lactate 2 grs.		
2127 Iron Lactophosphate	4 00	10 80
Iron Lactophosphate	4 50	12 00
Each fluid dram contains		
Íron Iodide		40.00
2129 Lactophosphates, Compound	4 50	12 00
Calcium Lactophosphate 2 grs. Sodium Lactophosphate 1 gr. Potassium Lactophosphate 1 gr. Iron Lactophosphate 1 gr. Iron Lactophosphate 1 gr.		
Potassium Lactophosphate 1 gr. Iron Lactophosphate 1 gr.		
Manganese Lactophosphate. ½ gr. 2130 Licorice	2 25	6 00
2131 Mitchella Comp., A. D	2 50	7 20
<b>2132 Orange Peel,</b> U. S. P		7 20 7 00
Each fluid dram contains	2 30	7 00
Calcium Phosphate		
Fotassium Phosphate ½ gr.		
3389 Phosphates Comp. with Muriate Quinine	3 50	9 75
Potassium Phosphate 1 <sup>2</sup> grs. Magnesium Phosphate 1 gr.		
Calcium Phosphate		
Magnesium Phosphate		
Free Phosphoric Acid 2 grs. 2133 Rhubarb, U. S. P	0 50	7 20
2134 Rhubarb Aromatic, U. S. P	2 50	7 20 7 20
3390 Rhubarb and Potassium (Neutralizing Cordial)4 50 Each fluid dram represents	3 25	9 00
Rhubarb		
Golden Seal 2 grs. Coto Bark		
Potassium Carbonate 1 gr		
Sodium Carbonate		
2135 Sarsaparilla Comp., U.S. P	2 60	7 20
50 Sarsaparma Comp., with Potassium rodide 5 50	3 175	10 50

SYRUPS.	1 Gal. Bot. each Inclu	5 Pint Bot. each ding Bott	Per doz. Pints les.
3391 Saw Palmetto with Hypophosphites Lime and	4 00	AD 00	00.40
Soda Each fluid dram represents	4 30	\$3 00	\$8 40
Saw Palmetto			
2137 Senega, U. S. P 2138 Senna, U. S. P 2139 Squills, U. S. P	5 50	3 75 3 75	10 20 10 20
2139 Squills, U.S. P	3 00	2 00	6.00
2140 Squills Comp., U. S. P. (Hive Syrup)	3 80	2 60 2 60	7 20
2140 Squills Comp., U. S. P. (Hive Syrup)	3 80	2 60	7 20 7 20 7 20 7 20 7 20
2143 Tolu, U.S. P	3 80	2 60 3 25	7 20 9 00
Each fluid dram represents	4 50	5 20	9 00
Red Cleaves A gran			
Burdock Root 2 grs. Stillingia 2 grs. Berberis Aquifolium 2 grs. Cascara Amarga 2 grs. Poke Root 2 grs. Prickly Ash Bark 2 grs. Prickly Ash Bark 2 grs.			
Berberis Aquifolium 2 grs.			
Poke Root 2 grs.			
Prickly Ash Bark ½ gr.			
Potassium Iodide 1 gr.  3393 White Pine Comp	3 20	2 50	7 20
Each fluid dram represents		_ 00 ,	
White Pine Bark 3 grs.			
Sassafras gr.			
Wild Cherry 3 grs.			
Blood Root ½ gr.			
White Fine Bark   3 grs			
2303 A White Pine Comp. with Herein	4 00	3 00	8 40
Each teaspoonful represents  White Pine			
Sassafras † gr.			
Spikenard ½ gr.			
Balm Gilead 1-12 gr.			
Wild Cherry 3 grs.			
Chloroform			
1-12 gr.   Balm Gilead   1/2 gr.   Yes   1/2 gr.   Wild Cherry   3 grs.   Blood Root   1/2 gr.   Chloroform   1/2 gr.   The Comp., with Tar   1/2 gr.   The Comp., with Tar   1/2 gr.   The Comp., with Tar   1/2 gr.   The Comp.   1/2 gr.   1/2 gr	3 20	2 50	7 20
Sassafras			
White Pine			
Balm Gilead ½ gr.			
Balm Gilead			
Chloroform + m.			
Pine Tar	2 20	2 50	7 20
2144 White Dine Comp., with Crossote	8 80	2 60	7 20
2144 White Pine Comp., with Creosote         3           2145 Wild Cherry, U. S. P         3	8 80	2 60	7 20
2146 Verba Santa, Aromatic	4 00	2 75	7 50
2146 Yerba Santa, Aromatic			
ministration of Quinine. Also in combination with bitter or			
nauseating mixtures, to dis-			
guise the unpleasant taste.	5 95	3 50	10 00
3395 Yerba Santa Cough Mixture	20	3 30	10 00
Each fluid dram represents Yerba Santa			
Grindelia Robusta 4 grs. Cherry Bark 2 grs.			
Licorice 5 grs.			
Licorice			
Tar			

# SPECIFIC TINCTURES

To fill the demand for a preparation made from the fresh green plant with a stronger alcoholic menstrum preserving all the medical properties of the fresh plant we have after several years of careful study and experiments perfected and added to our list the following which we call Specific Tinctures. We feel that they are superior to most Specific Tinctures, Mother Tinctures. We feel that they are plants from which they are made are carefully gathered at the proper age of their growth. These are packed in alcohol as soon as gathered and sent to our laboratory, there most carefully prepared, macerated and expressed and made a definite strength. That this line of goods will not be mistaken for any other of ours or another's make they are called and labeled Specific Tinctures.

Subject to Discount.	
Pts.	4 oz.
2390 Achillea\$1 80	\$0 50
3500 Acid Carbolic 80	25 20
3510 Acid, Hydrochioric, dilactoric	55
2391 Actea. Alba	50
2392 Adonis 5 00	1 30
2393 Aesculus. 2 25 2394 Agrimonia. 1 80	60 50
2394 Agrimonia	65
2396 Aletris	65
2397 Alnus	50 50
2398 Ambrosia	50
2400 Amygdalus 1 80	50
2401 Anthemis	55 80
3512 Apis	50
2402 Aralia	50
2403 Arnica	50
3514 Asclepias	50 80
2404 Asthma Weed	55
3515 Baptisia	. 50
2406 Barosma	60 55
3516 Belladonna	65
3517 Black Haw 1 80	50
2408 Boletus 3 00	80
3518 Bryonia	65 1 30
3520 Calendula	60
3521 Cannabis	65
2409 Cantharis	65 50
2410 Capsella	55
2412 Catalpa	50
3522 Caulophyllum	50 65
2413 Ceanothus	50
2415 Chelidonium	55
2416 Chimaphilla	50
3523 Chionanthus	60 1 05
2418 Cinnamon	60
2419 Cnicus 1 80	50
2420 Coca	80 65
2421 Coffea	65
3525 Collinsonia	50
3526 Colocynth	65
3527 Cimicifuga	65 50
2422 Columbo	50
2424 Convallaria	80
3528 Cornus 1 80	50

## SPECIFIC TINCTURES..

	I ts.	T UZ.
2425	Corydalis\$2 25	\$0 60
2426	Cubeba	65
2427	Cuprum	60
2428 2429	Cypripedium 2 00 Damiana 3 00	55
3529	Digitalis	80 55
3530	Dioscorea	50
2430	Drosera	65
2431	Dulcamara	50
2432	Echinacea	55
2433	Elaterium	70
2434	Epigæa	50
2436	Equisetum	65
3531	212	55 50
3532 3533	Erigeron	50
2437	Eucalyptus	65
2438	Euonymus	50
3534	Eupatorium	50
3535	Euphorbia	50
2439	Euphrasia	50
2440	Ferri Acetas. 2 25 Frasera 1 80	60
2441	Frasera.         1 80           Fragrant Sumac.         2 50	50 65
2443	Fraxinus	50
2444	Fucus 2 50	65
2445	Fucus         2 50           Galium         1 80	50
2446	Gaultheria 1 80	50
3536	Gelsemium	65
2447	Gentiana 1 80	50
2448	Geranium	50 65
3537 2449	Gossypium. 2 50 Gravel Root 1 80	50
3538		70
3539	Guarana	1 05
3540	Hamamelis	. 20
2450	Helleborus 2 00	. 55
3541	Helonias	65 50
2451	archaerem	, 60
2452 2453	Horse Chestnut 2 25 Humulus 2 25	60
2454		50
3542	Hydrastis	. 55
3543	Hyoseyamus 2 00	55
2455	Ignatia	65 50
2456	/ <b>All U.L</b> (b)	1 15
3544		50
3545 3546		65
2457	Tanamanda 3 00	80
2458	3 Jalap	65
2459	Juglans 1 80	50
2460	Jalap   2 50     Julans   1 80     Kalmia   1 30     Kalmia   3 00	50 80
2461	Nameela	50
2462	Lappa. 2 00 Leptandra. 2 00	55
3547 3548		60
2463		80
2464		60
3519	Lycopus	50
3550		50 80
2465	Mangifera	50
2468		60
2467 2468	Mauco	55
2468	Matricaria	50
2470	Witchella OV	50
2471	Myrcia 1 80	50
2472	Nonota 1 OU	50
3551	Nux Vomica	50 1 05
2473	Oenantha 4 00	55
2474		65
2475 3552	Pagations 2 00	55
3553	I destinute	70
2000	A CALLANDA MARIA.	

# SPECIFIC TINCTURES.

		Pts.	4 oz.
2476		\$1 5	0 \$0 40
3554	Physostigma	2 5	0 65
3555	Phytolacea	1 8	0 50
3556	Pinus	1 8	
2477	Piper Methysticum	2 5	
2478	Plantago	1 8	
3557	Podophyllum	1 8	0 50
2479	Podophyllin Trituratedper oz.	1 0	25
2480	Polemonium	1 8	
2481	Polygonatum	1 80	
2482	Polymnia	2 50	
2483	Polytrichum. Prunella.	2 50	
2484 2485	Prunus	1 80	
2186	Ptelea	2 00	
3558	Pulsatilla	2 50	
2487	Quercus	1 80	
2488	Rheum	3 0	
3559	Rhus Tox.	2 5	
2489	Rubus	1 8	0 50
2490	Rumex	1 8	0 50
3560	Salix Nigra Aments	2 50	
2491	Sambucus	1 8	
2492	Sanguinaria	1 80	
2493	Sarracenia	2 00	
2494	Saw Palmetto	2 00	
3561	Scutellaria	1 80	
3562 2495	Senecio	1 80	
2495	Senega	2 50	
2497	Serpentaria.	2 2	
2498	Sodium Phosphate.	70	
2499	Spikenard	1 80	
2500	Spotted Spurge.	3 00	
3563	Staphisagria	2 50	65
3564	Sticta	3 00	80
2501	Stigmata Maydis	2 50	
3565	Stillingia	2 2	
2502	Stramonium	1 80	
2503	Strophanthus	3 00	
2504 2505	Swamp Milkweed	1 80	
2506	Tala Aranam	1 80	
3566	Tela AraneæThuja	$\frac{3}{2} \frac{00}{50}$	
2507	Thuja Tiger Lily	2 50	
2508	Trifolium	1 80	
2509	Triticum	2 50	
2510	Urtica	2 00	
2511	Ustilago	2 50	
2512	Valerian	1 80	
3567	Veratrum	2 2	
2513	Verbascum	1 80	50
3568	Viburnum	1 80	
2514	White Snake Root	1 80	
2515 3569	Xanthium Spinosum	2 50	
2516	Xanthoxylum	2 2	
2517	Yerba Santa Zingiber	2 50	
2017	Zingiber	1 80	50

### Part Three-Net Prices.

# TINCTURES

For one-half pound bottles add 10 cents per pound list. For one-fourth pound bottles add 20 cents per pound list. For five pound bolttes deduct 5 cents per pound list.

0400	A 41 TO 1 TO 10			100
3403	Aconite Root, U.S.P		20	60
3404	Aconite Root, Fleming's		-	70
2405	Aloge II C D			
3403	Aloes, U.S.P.			50
3///3	Antacrida			
3443	Antacrida			50
	Dysmenorrhœa Mixture—National Formulary			
	Corrosive Chloride of Mercury, 40 grs.			
	Resin Guaiac, 2 tr. oz.			
	Canada Turpentine, 2 tr. oz.			
	Oil Sassafras, ½ oz.			
	Alcohol, 95 per cent., 16 ozs.			
	Dose, 5 to 10 mins.			
2147	Alogs and Mynnh II C D			
	Aloes and Myrrh, U.S.P			65
3406	Arnica Flowers, U. S. P. Asafetida, U. S. P.			50
3407	Acadetida II C D			
	Asaletiua, U.S.F			60
3408	Belladonna, U. S. P.			50
3409	Rongoin II S P			
	Benzoin, U.S. P. Benzoin Comp., U.S. P.			60
3410	Benzoin Comp., U.S. P			65
2185	Plue Cohosh			
	Dide Collosa			60
3411	Blue Cohosh Bryony, U. S. P.			60
2148	Ruchu. Calendula, U. S. P. Camphor, U. S. P. Cannabis Indica, U. S. P. Cantharides, U. S. P. Carticom U. S. P.	-		50
	Calandaria IV C D			
2149	Calendula, U.S.P			60
3412	Camphor, II S P			55
	Campitot, C.S. I. T. C.S.			
2150	Cannabis Indica, U.S.P			70
3413	Cantharides, II S P			60
	Consistent IT C D		*	
3414	Capsicum, U. S. P. Cardamom, U. S. P Cardamom Comp., U. S. P.			50
2151	Cardamom, U. S. P			75
	Cardania Cara II C D			
2152	Cardamom Comp., U.S.P			50
2153	Castor			60
	Catachu			
2154	Catechu			50
2155	Catechu Comp., U. S.P.			60
3415	Castor. Catechu. Catechu Comp., U. S.P.			
	CIMICINUE de la			60
3416	Cinchona, U. S. P.			65
3417	Cinchona Comp., U.S. P.			60
	Cinchona Comp., C. S. I.			
2156	Cinnamon, U. S.P.			50
2186	Colchicum Root			50
3418	Calabian Sand II S D		•	60
	Colemean Seed, U.S. I			
3419	Columbo			50
3420	Conium			50
3421	Cubeb, U.S. P			60
2188	Damiana Digitalis, U. S. P			75
3422	Digitalia II C D		•	50
	Digitalis, U.S. F			
3423	Colsomium II S P			60
2157	Contian			50
2137	Welltall		0	
2158	Gentian Gentian Comp., U. S. P Ginger, U. S. P Golden Seal, U.S. P. Guaiacum, U.S. P.			50
3424	Ginger, U.S.P.			60
2159	C-13 C1 TI C D			75
2109	Golden Seal, U.S. F			
2160	Guaiacum, U.S. P			60
2161	Cuain our Downer			75
	Guaiacum, Dewees' Hops, U. S. P.			
2162	Hops, U.S. P			55
2163	Hyoseyamus, U.S.P. Ignatia			50
2103	Try Oscyalitus, O. D. I			
2164	Ignatia			75
3425	Iodine, U. S. P			90
2400	T. 1		1	
3426	Iodine, colorless		· I	00
2165	Iodine Comp. Ipecac and Opium, U. S. P. Iron Chloride, U. S. P.		. 1	00
3427	Incese and Onium II S P		1	75
0461	ipecat and opium, U.S. I		. 1	40
3428	Iron Chloride, U. S. P			40
2166	Iron Chloride, tasteless			85
0100	It of Children, tastetess		4	
2189	Lily of the Valley		. 1	UU
2167	Kino, U.S.P.			75
2400	Trong			
3429	Lavender Comp., U. S.P			55
3430	Lavender Comp., U. S.P Lobella, U. S. P			50
2197	T samuelin			65
-10/	Lupulin		0	00

	TINCTURES.		
		Per	rpt
3431	Myrrh, U. S. P.		70
2190	Myrrh and Capsicum (Hot Drops)	· @	70
3432	Myrrh and Capsicum (not Diops)	٠.	
	Night Blooming Cereus	2	00
2168	Nutgall, U. S. P		55
3433	Nux Vomica, U.S.P.		60
3434	Opium, U. S. P Opium, Camphorated, U. S. P	1	10
3435	Opium, Camphorated, U.S.P		50
2169	Opium Comp., Squibbs' Formula	1	00
3436	Opium, Deodorized, U.S.P	1	50
2170	Orange Peel, Bitter, U. S. P.		50
2171	Orange Peel, Sweet, U. S. P.		50
2172	Poke Root.		60
2191	Poison Oak		60
2192	Prickly Ash Bark		50
2193	Prickly Ash Berries		65
2173	Pulsatilla		60
2174	Quassia, U. S. P.		50
3437	Rhubarb, U.S.P		60
2175	Rhubarb, Arom., U.S.P.		
	Phylash Comp		60
2177	Rhubarb, Comp. Rhubarb, Sweet, U. S. P.		60
3438	Anuparp, Sweet, U.S. F.		60
2178	Sanguinaria, U. S. P		50
	Serpentaria, U.S.P.		60
21/9,	Soap, Camphorated		60
3439	Soap, Green		70
2180	Squill, U. S. P.		60
3440	Strophanthus	.1	10
2181	Stramonium Seed, U. S. P.		60
6106	Sumpul, U. S. P	1	00
3441	Tolu, U.S. P		80
6100	valerian, U. S. P		60
6104	valerian, Ammon, U.S.P		85
3446	veratrum viride, U.S.P		85
3444	Warburg's, with Aloes	1	25
3445	Warburg's, without Aloes	1	20
		. 7	20

## NERVE AND BRAIN TABLETS.



Net Prices. 100/0 Luie, 2194 Acid, Acetic, dilute, U.S. P ...... .....lb \$0 15 2195 Acid Carbolic, solution, 10 % 40 (Containing 45½ grains glacial acid to each fluid ounce.) 00 2197 Acid Hypophosphorous, dilute, 50 %, 1 lb. bottles.....lb 85 Muriatic, dilute, U.S.P., 1 lb. bottles.....lb 2116 Nitric, dilute, U. S. P., 1 lb bottles.....lb 3447 Nitro-muriatic, dilute, 1 lb bottles.....lb 20 3449 54 Phosphoric, U.S.P., 1 lb. bottles.....lb 3450 Phosphoric, dilute, U. S. P., 1 lb. bottles.....lb 2198 Sulphuric, dilute, U.S.P., 1 lb. bottles.....lb 3451 Sulphuric, aromatic, U.S. P., 1 lb. bottles.....lb 55 3452 3453 Anodyne, Hoffman's true This is the true Hoffman's Anodyne, manufactured from the heavy Oil of Wine, as directed in the U.S.P. 30 3454 Arsenic Solution, Donovan's U.S.P., 1 lb. bottles.....lb 3455 Arsenic Solution, Fowler's U.S.P., 1 lb bottles.....lb 2201 Ammonia, ffff, gal. bottle..... 45 2202 Ammonia, concentrated, pint bottle..... 20 3456 Bay Rum 11 lb. bottles 12 gal. bottles 13 gal. bottles 15 40 1 pt. bottles....each 2203 Battery Fluid . . . . . 5 pt. bottles . . . . . . . each 1 gal. bottles .....each 3457 Boro-glyceride, solution, 331 %; 1 lb. bottle, by weight . . . . . each CERATES. 4 oz. 8 oz. each each. each. 2204 Cerate, Calendula......\$0 25 \$0.45 \$0.80 20 65 Camphor, U.S.P..... 2205 Cantharides, U.S. P..... 35 1 00 66 2206 Lead, Sub-acetate, U. S. P..... 45 2207 45 Resin, U.S. P..... 3458 30 2208 .. 65 Savin..... 20 2209 Simple, U.S.P..... 3459 60 Spermaceti, U.S.P..... 66 2210 40 75 Zinc, carbonate..... 2211 1 25 2 00 3460 Chlorodyne.... 1 lb. 4 oz. 1 oz. bots bots. bots. each. each each. \$0 90 3463 Collodion, Simple, U.S.P......\$0 15 \$0 30 2 25 Cantharidal..... 20 2212 Flexible, U.S. P..... 1 00 15 3464 2 50 Salicylated Comp. (corn cure)...... 3465 1 50 Styptic, U.S.P..... 2213

2214 Cod Liver Oil, Norwegian ....

#### MISCELLANEOUS.

#### Cod Liver Oil Preparations.

2214			lb	\$0 30
2215	5 Cod Liver Oil, Newfoundland		lb	25
	,	Pts.		
0016	Cod Timos Oil Assessis Wiss			Gals
2210	6 Cod Liver Oil, Aromatic, Wine	\$0 70	\$3 00	\$4 50
2217	7 Cod Liver Oil, Arom. with Hypophosphite, emulsion. Lime, Soda and Potassium.		lb	60
3466	Ether Nitrous Spirits, U. S. P		1b	50
	7 Ether Nitrous Spirits, ffff			
2215	Pthon Nitrous Spirits fff		110	35
0010	B Ether Nitrous Spirits, fff		lb	30
2218	Embalming Fluid, gal. \$2.50		lb	35
		Pts.	Qts.	Gals.
2220	Extract Witch-hazel, distilled	.\$0 20	<b>\$0</b> 30	\$1 00
		Pts.		
	Formaldahyda 40 07	Fts.	5 Pts.	Gals.
	Formaldehyde 40 %	.\$0 45.	\$2 00	\$3 00
	Antiseptic.			
	-			
	Glyceroles.	4 oz.	₹ lb.	1 lb.
2221	Claramala II	bots.	bots.	bots.
	The second secon		\$	<b>\$</b> 0 75
2222	rancreaun			75
2223	A CPORALIS CONTROL OF CONTROL			70
2224	" Pepsin and Wafer Ash			75
2225	" Starch	. 25	45	85
2226	" Tannic Acid, U. S. P		40	
2227	" Tar, U. S. P			1 10
	Tand Personal 11h in	. 20	35	65
2460	Lard, Benzoated, 1 lb. jars		lb.	30
3408	Lead, Solution, Sub-acetate (Goulard's Ext.)	1	lb. bots.	25
3469	Lead, Solution, Sub-acetate, dilute (Lead Water)	1.1	h hate	20
			ib. Dots.	20
2229	Leptandrin		D. DOTS.	
2229	Leptandrin		oz.	30
2229	LeptandrinLiniments.	1 Pt.	oz. 5 Pt.	30 Gal.
2229	Leptandrin	1 Pt. bots.	5 Pt. bots.	30 Gal. bots.
2229	Liniments.	1 Pt.	5 Pt. bots. each.	Gal. bots. each.
2230	Liniments.  Liniment, Aconite	1 Pt. bots. each.	5 Pt. bots. each.	Gal. bots. each.
2230 2231	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60	5 Pt. bots. each.	Gal. bots. each.
2230 2231 2232	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60	5 Pt. bots. each.	Gal. bots. each.
2230 2231 2232 2233	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60 . 25 . 40 . 65	5 Pt. bots. each. \$ 1 00 1 50	30 Gal. bots. each.  1 50 2 50
2230 2231 2232	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60 . 25 . 40 . 65 . 75	5 Pt. bots. each. \$ 1 00 1 50 3 00	30 Gal. bots. each.  1 50 2 50 4 00
2230 2231 2232 2233	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60 . 25 . 40 . 65 . 75	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50	30 Gal. bots. each.  \$ 1 50 2 50 4 00 5 00
2230 2231 2232 2233 3470	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 . 25 . 40 . 65 . 75 . 35	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00
2230 2231 2232 2233 3470 2234 2235	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60 25 40 65 75 35 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75
2230 2231 2232 2233 3470 2234 2235 2236	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60 25 40 65 75 35 40 80	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 3 50	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00
2230 2231 2232 2233 3470 2234 2235 2236 3471	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 60 80 60	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237	Liniments.  Liniment, Aconite	1 Pt. bots. each\$0 60	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 3 50 2 50 1 50	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 65 75 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 3 50 2 50 1 50	30 Gal. bots. each. \$1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 65 75 40 80 60 40	5 Pt. bots, each. \$ 1 00 1 50 3 00 1 25 1 50 2 50 1 50 gal	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50 2 50 1 25
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239	Liniments.  Liniment, Aconite  Ammonia  Camphor  Cantharides, U. S. P  Chloroform  Lead, Sub-acetate  Lime, U. S. P  Rheumatic  Soap  Turpentine  Liquor Acid Phosphoric Comp.  Litmus Paper—blue or red—Books	1 Pt. bots. each. \$0 60 . 25 . 40 . 65 . 75 . 35 . 40 . 80 . 60 . 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 2 50 1 50gal	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50 2 50 1 25
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240	Liniments.  Liniment, Aconite	1 Pt. bots. each \$0 60 . 25 . 40 . 65 . 75 . 35 . 40 . 60 . 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 gal gal gal each.	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 75 5 00 3 50 2 50 1 25 1 50 1 10
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240	Liniments.  Liniment, Aconite	1 Pt. bots. each \$0 60 . 25 . 40 . 65 . 75 . 35 . 40 . 60 . 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 gal gal gal each.	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 75 5 00 3 50 2 50 1 25 1 50 1 10 1 60
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 - 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 2 50 1 50 gal each lb	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50 2 50 1 25 1 50 1 10 1 60 25
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240 2241	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 - 25 40 65 75 40 80 60 40	5 Pt. bots. each. 1 00 1 50 3 00 3 50 2 50 1 50 gal each lb	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 75 5 00 3 50 2 50 1 25 1 50 1 10 1 60
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240 2241 2242	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 3 50 1 25 1 50galeachlb	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50 2 50 1 25 1 50 1 10 1 60 25
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240 2241 2242 2247 2244	Liniments.  Liniment, Aconite  " Ammonia  " Camphor  " Cantharides, U. S. P.  " Chloroform  " Lead, Sub-acetate  " Lime, U. S. P  " Rheumatic  " Soap  " Turpentine  Liquor Acid Phosphoric  Liquor Acid Phosphoric Comp.  Litmus Paper—blue or red—Books.  Lotion Hemorrhoid  Mixture, Asafetida, U. S. P.  " Brown, U. S. P.  " Bashams.  " Chloroform, U. S. P.	1 Pt. bots. each. \$0 60 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 55 1 50 3 50 1 25 1 50galgaleachlblb	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 05 5 00 3 50 2 50 1 25 1 50 1 10 1 60 25 40 30
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2248 2249 2241 2242 2242 2244 2244	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 2 50galeachlblb	30 Gal. bots. each. \$ 1 50 2 50 4 00 5 00 2 75 5 00 3 50 2 50 1 1 25 1 50 1 1 60 25 40 30 60
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240 2241 2242 2247 2244	Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 2 50galeachlblb	30 Gal. bots. each. \$1 50 2 50 4 00 5 00 2 00 2 75 5 00 3 50 2 50 1 25 1 50 1 1 60 25 40 30 60 30
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2248 2249 2241 2242 2242 2244 2244	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 - 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 3 50 1 25 1 50 gal each lb l	30 Gal. bots. each. \$\$ \$\$ 1 50 2 50 4 00 2 75 5 00 2 75 5 00 2 50 1 25 1 50 1 60 25 40 30 60 30 60
2230 2231 2232 2233 3470 2234 2235 3471 2237 2238 3472 2239 2240 2241 2242 2244 2244 2245 2246	Liniment, Aconite	1 Pt. bots. each. \$0 60 - 25 40 65 75 35 40 80 60 40	5 Pt. bots. each. 1 00 1 50 3 00 3 50 2 50 1 50 gal each lb	30 Gal. bots. each. \$ \$1 50 2 50 4 00 2 00 2 75 5 00 3 50 1 25 1 50 1 10 1 60 25 40 30 60 30
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 2240 2241 2242 2242 2242 2244 2245 2246 2247 2246 2247	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 655 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 1 25 1 50galeachlblblblblb	30 Gal. bots. each. \$\$ \$\$ 1 50 2 50 4 00 2 75 5 00 2 75 5 00 2 50 1 25 1 50 1 60 25 40 30 60 30 60
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 3472 2239 2240 2241 2242 2247 2244 2245 2246 2246 2247	Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 655 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 1 25 1 50galeachlblblblblb	30 Gal. bots. each. \$ \$1 50 2 50 4 00 2 00 2 75 5 00 3 50 1 25 1 50 1 10 1 60 25 40 30 60 30
2230 2231 2232 2233 3470 2234 2235 2236 3471 2237 2238 2240 2241 2242 2242 2242 2244 2245 2246 2247 2246 2247	Liniments.  Liniment, Aconite	1 Pt. bots. each. \$0 60 25 40 655 75 35 40 80 60 40	5 Pt. bots. each. \$ 1 00 1 50 3 00 1 25 1 50 3 50 1 25 1 50galeachlblblblblb	30 Gal. bots. each. seach. sea

MISCELLANEOUS.							
		Ointments.	4 oz.	8 oz.	1 lb.		
2250	Ointmon	t, U. S. P	each.	each. \$0 30	each \$0 50		
3476	68	Basilicon		25	40		
2251	44	Bearsfoot		40	75		
2252	44	Benzoated, U.S.P.		25	45		
3477	4.6	Belladonna, U. S. P.		45	80		
3478	6.6	Cantharides, U.S.P		45	80		
3479	66	Carbolic, U.S.P		25	40	)	
2254	66	Chrysarobin, U.S.P		50	90	)	
3480	6.6	Citrine, U.S.P	. 20	35	60	)	
3481	66	Diachylon,	. 15	25	40	)	
2255	44	Discutient, A. D	. 20	35	60	)	
2256	44	Dulcamara	. 25	40	75	5	
2257	66	Gallie Acid, U.S.P	. 25	40	75	,	
2258	6.6	Iodine, U.S.P		40	70		
2259	44	Iodoform, U.S.P		55	1 00		
2260		Lead Carbonate		25	40		
2261	44	Lead Iodide, U.S.P.		60	1 00		
2262		Mercurial, Ammoniated, U.S. P		35	60		
2263		Mercurial, Yellow Oxide		55	1 00		
3482	•	Mayer's, A. D		40	70		
2264		Nutgall, U.S.P		30 55	50 1 00		
3483 3484		Pile Poke Root, A. D		35	60		
2265		Rose (Cold Cream)		55	1 00		
2266		Stramonium, U.S. P		40	75		
2267		Sulphur, U.S.P		25			
2268		Sulphur, Alkaline		25	40		
3485		Tannic Acid, U.S.P		35	60		
3486		Tar, U.S.P		25	40	)	
2269		Tar Comp		35	60	)	
3487		Veratrine, U.S.P		1 40	2 50	)	
3488	66	Zinc Oxide, Benzoated, U.S.P	. 20	35	60	)	
		Digestive Ferments.					
		Digestive eliments.					
2270	Pensin.	1 to 2500, Powdered or Scale	net pe	roz.	\$0 50	)	
2271	Pepsin, 1	to 3000 (U.S. P., 1890) Powdered or Scale	net pe	er oz.	65	5	
2272	Pepsin.	Pure	net pe	roz.	75		
2273	Pepsin. 8	Saccharated		lb	1 00		
2274	Pensin, S	Saccharated, U.S. P		lb	1 25		
1014	Pancreo	-Digestin. See Specialties		lb	4 50		
2275	Pancrea	tin, Pure	net	per oz	80		
2276	6 Pancrea	tin, Saccharated	net	peroz	30	,	
			4	9 0 0	1 lb		

		Plasters.	4 oz. each.	8 oz. each.	1 lb· each.
2277	Plaster.	Aconite	.\$0 35	<b>\$</b> 0 60	\$1 10
2278	"	Arnica, A. D	. 35	60	1 10
3489	6.6	Belladonna, U. S. P	4.0	70	1 20
3490	11	Cantharidal		75	2 25
2279	4.6	Capsicum, U.S.P	. 25	40	70
2280	"	Diachylon, U.S.P		25	40
2281	**	Galbanum		40	75

	Plasters.	4 oz. each.	8 oz. each.	1 lb. each.
2282 Plaste	r, Galbanum Comp	\$ 25	\$ 40	\$ 75
2283 ' "	Lead, Red Oxide, A. D	20	30	50
2284 "	Opium, U. S. P	55	95	1 75
2285 "	Pitch, Burgundy, U.S. P	20	30	50
2286 "	Resin, U.S. P	15	25	40
3491 "	Tar Comp. (irritating plaster), A. D	15	25	40
	Powders.			Per lb.
3492 Powder	Alkaline			.\$0 20
	er Antidyspeptic, Lr. Whitford's			
Bi Po Po Po	smuth Subnitrate			
2287 Powder	Antimonial			. 1 00
2288 "	Acetanilid Comp			. 2 00
80	etanilid			
3493 Powder	Aromatic			. 80
3494 "	Chalk Aromatic U.S.P			. 60
2289 "	Composition			. 25
3495 "	Diaphoretic A D			. 1 50
3496 ''	Dovers, U.S.P			. 1 50
3497 ''	Jalap Comp			. 75
3498 "	Licorice Comp, U.S.P			. 35
	Potass Bromide Comp This is a modification of Dover's Powder, the ing the substitution of Potassium Bromide for Su	igar Mill	κ.	
2291 Powder	Rhubarb Comp., U.S.P			. 80
3499 "	Tully's U.S. P			. 1 50
2232	Rhubarb x			. 75
2233	Rhubarb xx			. 1 00
2234	Rhubarb best xxx			. 1 50
2295 Podobi	ıyllin			oz. 30
			1	lb. bot
3501 Solutio	on Strychnia, Hall's			. \$0 50
3501A Soluti	on Dobell's			. 20
	Spirits.	4	Lat T	24 1-4
3502 Spirits.	Ammonia, Aromatic, U.S.P		bot. I	
2296 "	Anise "			\$0 50
2297 "	Camphor		25	75
3503 "	Chloroform "		25 20	55
2298 "	Cinnamon "		20	65
2299 "	Juniper "		20 20	60 50
			20	90

		Spirits.	4 -	. 1 t T	D4 1-4
				z. bot. I	
		, Juniper Comp. U.S.P			\$0 45
2301	4.6	Lavender Comp. "		. 20	60
2302	**	Lemon "		. 25	75
2303	**	Mindererus "		. 12	30
2304	66	Orange		. 25	75
3503	6.6	Peppermint, U.S.P		. 25	80
2305	66	Wintergreen "		. 25	75
		Stenolines.			
		(Refined Petrolatums)	51	b. cans	Per. lb.
2306 8	stenol	ine Vet		.\$0 45	\$0 10
2307	44	Amber		. 60	13
2308	44	White		. 80	19
2309	44	Amber, Carbolated			16
		,			
		Vinorare and Waters			
				z. bot. 1	lb bot.
			ach.	each.	each.
2310 V	linega	ar, Lobelia\$	0 15	\$0 25	\$ 40
2311	"	Opium	25	60	100
2312	66	Sanguinaria	20	30	50
2313	44	Squills, U.S.P	15	25	40
2010		oquino, or an array or arra	1 pt b	ots. 1 ga	al. bots.
			- F	each.	each.
2314	Water	, Anise, U.S. P		.\$0 20	\$1 00
2315	41	Camphor, "			1 00
2316	66	Chlorine, "		. 20	60
2317	ε	Cinnamon, "			1 00
2318	48	Creosote, "			1 00
2319	**	Fennel, "			1 00
2320	66	Lead. "			60
2321	66	Peppermint"			1 00
2505	44	Rose, "			1 50
2322	66	Spearmint, "			1 00
2022		Spearming			
		Medicinal Wines.	t. 5. p	t. bot 1	gal. bot.
			each.	each.	each
2323	Wine.	Aloes, U.S.P.	3) 75	\$3 25	8
2324	66	Antimony	60	2 25	
2325	66	Bark and Iron	50	2 25	3 50
3506	4.5	Beef and Iron	40	1 25	2 50
2326	**	Beef, Iron and Calisaya	55	2 25	3 50
2327	66	Coca	75	3 00	4 00
2328	66	Colchicum Root, U.S.P	60	2 50	
2329	6.6	** Seed	60	2 50	
2330	46	Ergot	75	3 50	
2331	68	Ipecac	1 00	4 50	
2332	66	Iron	55	2 50	3 50
3507	66	" Bitter	60	2 50	3 75
	86	Opium, U.S. P	1 50		
2333	66	Pepsin	65	2 75	4 00
2334		repsig			

#### Toilet Articles.

#### Bulk Goods. Not Patents.

	4	0	4 77	0.11
	4 oz.	8 oz.	1 lb.	8 lbs.
1092 Almond Cream	0 15	\$0 25	\$0 40	\$3 00
1093 Antisweat	15	25	40	2 80
1094 Bay Rum	15	25	40	2 25
1095 Brilliantine	40	75	1 25	8 00
1098 Cosmetie	40	75	1 25	8 00
1099 Complexion Powder	15	25	40	2 80
1100 Depilatory1 oz. bottles only 50c				
1101 Face Bleach	15	25	40	2 25
1101A Foot Comforter	15	25	40	2 80
1101B Freckle Lotion	15	25	40	3 00
1102 Healing Lotion	15	25	40	3 00
1103 Hair Tonie	10	18	30	2 00
1103A Hair Restorer	8	15	25	1 50
1106 Tooth Powder	15	25	40	2 80
1108 Talcum Borated Powder	5	8	10	75
1108A Florida Water	10	15	25	1 75
1108 B Violet Water	10	15	25	1 75
1108C Violet Ammonia	5	8	12	75
1136 Witch Hazel	5	8	12	75

#### FLY PAPER.

1145 Instantaneous Poison Fly Paper, Sheets 14x18 inches. Per ream.. \$3 00

1146 Instantaneous Poison Fly Paper, Envelopes. Per box of 50 envelopes...

nvelopes.

Each envelope contains 8 pieces, 4½x7 inches, of the Poison Fly Paper. The body of the envelope is printed a rich red color, the large cut of the fly and lettering being white. Fifty of these envelopes are packed in a neat, red colored, glazed, pasteboard box, making a VERY ATTRACTIVE package to retail. All of our Poison Fly Paper kills plenty of flies. It does it quickly. They usually die on or near the plate. It is so heavily poisoned that one sheet can be used again and again, and will humanely kill many thousand. can be used again and again, and will humanely kill many thousand

In selling Poison Fly Paper druggists should say to their customers: "Use only enough water to wet the paper, not float it. Sweeten well with sugar." Some users seem to expect a little fly to drink several hundred times its weight of water to get at the sweetening

in and on the paper.

## DEODORIZERS AND DISINFECTANTS.

1140 Household D	Quarts.	Gals.
1140 Household Deodorizer   1141 Odorless Disinfectant	. 60	\$1 00 2 00

Granular Effervescent Salts.	lb bot.	1 lb bots.
334A G. E. Saline Aperlent, (Siedlitz Salt with chemically pure Phosphate Sodium and Magnesium Sulphate.) Anti-acid, Anti-ferment, Refrigerant, Laxative of Cathartic, according to dose.		\$1 00
This salt is found to be of great value because of its prompt action in relieving sick headache, mental and physical fatigue. In nervousness, due to alcholism, and debility, due to excesses of any nature, its true value cannot be over-estimated. It makes a cool, delightfu and refreshing drink. Take one dessert spoonful in a small glass of water.	l l	
A dessert spoonful of this salt in half a glass of water makes an exceedingly agreeable and healthful drink representing an equal volume of Carlsbad Water (Sprudel) in all its essential elements.	,	. 60
This salt is a pleasant and very efficient preparation and has many advantages over the liquid form, as it affords a quick and reliable method of preparing a fressolution of Magnesium Citrate when wanted. As purgative, two or more tablespoonfuls in a small glass of water, as a laxative one or two tablespoonfuls; drin while effervescing.	a a of	60
2338 G. E. Sodium Phosphate.  Each heaping teaspoonful of this salt represents 30 gr of Phosphate of Soda. Its medical properties being s well known therefore needs no description here. Fror its pure saline taste it is well adapted to the cases o children and of persons of delicate stomach	. 3 20 cs o o o f	80
2339 Granular Effervescent Kissingen Salt (Rakoczy Spring: Slightly chalybeate. Its action upon the kidneys an digestive organs, has long rendered it a general favorite. A large teaspoonful dissolved in a tumblerful of water and drank during effervescence, forms an agreeable an refreshing draught, representing an equal volume of Kissingen Water in its essential constituents.	s) 4 00 d	1 00
2340 Granular Effervescent Vichy Salt (Grand Grille)  Vichy Water has been long and favorably known. I cases of hepatic derangement, acidity of the stomach Gouty or Rheumatic affections, particularly when combined with Lithia, it has proven extremely valuable.  A large teaspoonful dissolved in a tumblerful of water forms a grateful and refreshing draught, identical with the natural water of the celebrated Grand Grille Spring.  The modern treatment for obesity is Kissingen on half hour after each meal one day and Vichy the nex Alternate week after week, until relieved of the discomforts and the dangers of obesity are overcome, after which their use should be discontinued.	3 00 n.	60
2341 Granular Effervescent Salt. Magnesium Sulphate.  This salt affords a pleasant method of administering Sulphate of Magnesia. As a purgative take two or more tablespoonfuls in a small glass of water and dring while effervescing. As a laxative, one or more tablespoonful taken in the same manner.	k	60

# COMPRESSED TABLETS


AND

## TABLET TRITURATES

Tablet Triturates, Compressed Tablets, Chocolate Coated and Sugar Coated Tablets are all under one alphabetical arrangement to facilitate reference and to enable all to more easily find their wants. Our tablets are all made from materials that have been thoroughly titurated, whether they are compressed or moulded. We believe the minute division of medicinal substances through trituration imposes the action of all therapeutical agents put up in tablet form, and especially where any of the metallic salts enter into the compound these are rendered less irritating and in some instances, perhaps, more active by reason of the large absorbing surface made possible by their minute subdivision.

We have every facility for making perfect goods and in large quantities, at very reasonable prices, for compression from special formulas, and will be pleased at all times to furnish quotations on same in quantities of 3,500 and upwards.

10% Dire.	1,000	Per bot. of 500	Per bot. of 100
3569A Absorbant Dyspeptic.	\$1 60	<b>\$</b> 0 83	<b>\$</b> 0 19
Pepsin, pure,1-3000 1 gr. Charcoal 2 grs.			
Sodium Bicarbonate2½ grs.			
3570 Acetanilid, 1 gr	50	28	10
3571 Acetanilid, 2 grs	60	33	12
35/2 Acetanilid, 3 grs	70	38	12
3573 Acetanilid, 5 grs	1 05	55	14
35/3A Acetanilid, 5 grs Pink.	1 05	55	14
ache and neuralgia, and as an antipyretic. Dose, 1 to 10 grs., according to age and individual susceptibility of the patient.			
3573B Acetanilid, & Soda Comp	2 00	1 03	23
Acetanilid. 2½ grs. Sodium Bicarb 2½ grs. Citrate Caffein. 1 gr. Tr. Gelsemium. 3 min.		- 00	
3574 Acetanilid Comp.	1 05	=0	4 70
Sodium bicarbonate		70	17
3574A Acetanilid Comp., Pink with Wintergroom	1 25	70	17
tic until temperature is reduced. For headache, one tablet, repeated in an hour if not relieved.	1 20	70	17
35/4B Acid Arsenious, 1-20 gr.	50	28	10
3375 Acid Arsenous, 1-30 gr	50	28	10
object Acid Arsenous, 1-32 gr.	50	28	10
Acid Arsenous 1-32 gr Chocolate Coated	70	40	12
33/0 Acid Arsenous, 1-50 gr	50	28	10
3576A Acid Arsenous, 1-50 gr., Chocolate Contod	75	40	12
3370D Acid Arsenous 1-100	50	28	10
Acid Arsenous 1-100 Chocolate Coated	75	40	12
3576D Acid Boracic, 5 grs	60	33	10
3577 Acid Salicylic, 2½ grs	1 00	53	14



SIDE SECTION, TABLET MACHINE ROOM.



COATING ROOM.



COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3578 Acid Salicylic, 5 grs	.\$1 35 - s	\$0 70	\$0 17
3579 Acid Tannie, 1 gr	. 70	38	10
3580 Aconite Tincture, 1 min	. 55	30	10
3580A Aconite Tincture, 1 min., Chocolate Coated	75	40	12
3581 Aconite Tincture, 2 min	. 60	33	10
3582 Aconite Tincture, 5 min	. 70	38	11
3583 Aconitine (Crystals), C. P., 1-500 gr	. 50	28	10
3585 Aloes, 1 gr	. 70	38	12
3585A Aloes, 1 gr., Chocolate Coated	. 90	48	15
3586 Alkacetamid (S. &. W), 5 grs		2 25	45
3587 Alkacetamid Comp	. 4 50	2 45	55
3587 Alkacetamid Comp.   Alkacetamid			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	. 4 50	2 45	55
3589 Aloin, 1-10 gr	. 50	28	10
3589A Aloin, 1-10 gr., Chocolate Coated		38	12
3590 Aloin, 1-5 gr		30	10
3590A Aloin, 1-5 gr., Chocolate Coated		40	12
3591 Aloin ‡ gr	. 55	30	10
3591A Aloin, † gr., Chocolate Coated	. 75	40	12
The cathartic principles of Aloes. Dose as a laxative, 1-10 to ½ gr.; as a cathartic, ½ to 2 grs. The action of aloin is promoted by the conjoined use of suitable remedies.	. 60 a. d.	33	10
3593 Aloin, Belladonna and Strychnine		33	10
Coated		43	12
3594 Aloin, Belladonna Strychnine and Cascara Aloin	. 75	40	11
Chocolate Coated	95	50	13
3595 Aloin, Belladonna, Podophyllin and Nux Vomica   Aloin		33	10
3595A Aloin, Belladonna, Podophyllin and Nux Vomic	a 80	43	12
Chocolate Coated		35	10
3596 Aloin, Belladonna, Strychnine and Ipecac			
colate Coated	, 00	45	. 12
3597 Aloin Compound		30	10

	Per ot. of 1,000	Per bot. of 500	Per bot. of 100
3597A Aloin Compound, Chocolate Coated	\$1 75	\$0 40	<b>\$</b> 0 12
3598 Aloin Compound and Strychnine	60	33	10
Aloin	,		
Coated  The foregoing combinations with Aloin are all directed for the same general purpose, to o vercome constipation, but each has special value for its modified influence.  Dose, one or two at night or three times a day, as required.	. 80	42	12
3599 Ammonium Bromide, 5 grs	1 10	58	14
3600 Ammonium Muriate 3 grs	50	28	12
3601 Ammonium Muriate, 5 grs  As a stimulant expectorant in chronic catarrhal conditions. Dose, 1 to 20 grs. For coughs and colds of children, small doses, frequently repeated.	60	33	12
3602 Ammonium Muriate Compound  Ammonium Muriate † gr.  Ext. Licorice 1-10 gr.  Powdered Cubebs † gr.  Stimulant expectorant . Dose, one tablet, frequently repeated for cough and sore throat.	60	33	10
3603 Ammonium Muriate Compound with Codeine Ammonium Muriate	1 35	70	17
3603A Ammonium Muriate Compound with Heroin	1 50	80	19
3604 Anodyne  Comphor. ‡ gr.  Ext. Hyoseyamus. 1-16 gr.  Morphine Sulphate 1-60 gr.	1 15	60	16
Oil Capsicum	1 35	70	18
3605 Anti-Asthmatic (Hare)       2 grs.         Sodium Iodide       2 grs.         Sodium Bromide       2 grs.         FI. Ex. Euphorbia Pil       3 min         Nitroglycerin       1-200 gr.         Tr. Lobella       2 min	3 55	1 80	39
	3 75	1 90	42
3606 Anti-Constipation  Ext. Cascara 1 gr.  Ext. Nux Vomica \$gr.  Ext. Belladonna \$gr.  Po. Ipeeac \$gr.  Podophyllin \$gr.  Dose, one to three at night, or one to two night	1 15	60	15
and morning as required.			
3606A Anti-Constipation, Chocolate Coated.   3606B Anti-Dyspeptic No. 2,   Soda Bicarb.   2 gr.   Ext. Gentian.   1 gr.   Ext. Rhubarb.   1 gr.   Po. Capsicum.   1 gr.   Po. Capsicum.   1 gr.   Po. Ipecae   1-10 gr.   Strychnia Sulph.   1-60 gr.   1-6	1 25 85	70 <b>4</b> 5	18 12

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	$\Pr_{\substack{\text{bot. of}\\100}}$
3606C Anti-Dyspeptic No. 2, Chocolate Coated	\$1 05	\$0 55	\$0 15
3607 Anti-Dyspeptic (Fothergill's Improved)          Ext. Gentian       1 gr.         Blue Mass       1 gr.         Po. Ipecae       1-10 gr.         Po. Capsicum       1-10 gr.         Strychnia       1-40 gr.         3607A Anti-Dyspeptic (Fothergill's Improved) Chocola		55	14
Coated In gastric disturbances due to a torpid condition of the liver. One after meals and one midw between meals.	1 25 on	65	17
3608 Antiseptic. (Bernay's Formula.) For external to only	of ate	65	16
3608A Antiseptic No. 2	2 75 ater agth	1 41	30
### Table to Contains    Each tablet contains	sal in	65	16
or wash.	ay		4.10
3610 Antiseptic (C. M. Wilson, M. D.)	3 75	1 90	45
36   Aphrodisiae Improved	1 55	80	19
3611A Aphrodisiac Improved, Chocolate Coated As a stimulant to the generative organs in	1 75		23
potency, one tablet night and morning.  3612 Aphrodisiac, Dr. Montgomery		2 25	5 50
Phosphorous	4 2	0 2 35	54
3613 Apomorphine Muriate, 1-10 gr	3 95	2 00	
3614 Apomorphine Muriate, 1-60 gr	1 20	, 00	
3616 Arsenic Bromide, 1-60 gr	00	, 20	
3616A Arsenic Bromide, Chocolate Coated	70	38	12

COMPRESSED TABLETS.	Per bot. o 1,000	Per f bot. of 500	Per bot. of 100
3617 Arsenic Bromide, 1-40 gr	\$0 50	\$0 28	\$0 10
3617A Arsenic Bromide, 1-40 gr Chocolate Coated	70	38	12
<b>3618 Arsenic Bromide,</b> 1-30 gr	55	33	10
<b>3621 Arsenic Iodide,</b> 1-50 gr	55	30	10
<b>3622 Arsenic Sulphide</b> (red), 1-50 gr	55	30	10
3622A Arsenic Sulphide (red), 1-50 gr Chocolate Coated The preparations of Arsenic are used in atonic conditions of the nervous and nutritive tissue, for the tonic and alterative effect.  Dose, 1-100 to 1-20 gr. after meals as indicated.	75	40	12
3622B Asafetida 2 grs., Chocolate Coated	80	43	12
3622C Asafetida, 4 grs., Chocolate Coated	1 20	63	15
3623 Astringent  (Alum Compound Improved), for injection.  Alumen	1 15	60	15
<b>3624 Atropine Sulphate,</b> 1-60 gr	70	38	11
<b>3625 Atropine Sulphate, 1-100 gr</b>	65	35	10
3625A Atropine Sulphate, Chocolate Coated	85	45	13
<b>3626 Atropine Sulphate</b> , 1-200 gr	60	33	10
3626A Atropine Sulphate, 1-200 gr., Chocolate Coated	80	45	12
3627 Atropine Sulphate, 1-250 gr  One part of Atropine represents about 500 parts of Belladonna. Dose, 1-500 to 1-50 gr. according to indications.  For Hypodermic Tablets Atropine Sulphate, see page 70.	60	33	10
3628 Bismuth and Calomel Comp	90	48	12
3629 Bismuth Subnitrate, 5 grs	)	1 15	26
3629A Bismuth Subgallate, 2 grs		80	19
3630 Bismuth Subgallate, 5 grs Used in gastro-intestinal affections, diarrhoa, dysentery, etc. Dose, two to ten grains.	2 70	1 38	39
3631 Blauds—Ferruginous       1ron Sulph. Exsic       2½ grs.         Potass. Carb       2½ grs.	<b>55</b>	30	10
3631A BlaudsFerruginous, Chocolate Coated	85	45	12
3632 Blauds Modified	55	30	10
3632A Blauds Modified, Chocolate Coated	75	40	12
3632B Blauds with Nux Vomica	. 55	30	10

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3633 Bronchial  Ext. Licorice	§O 75	\$9 40	\$0 12
3634 Bronchial with Ammonium Muriate           Ext. Licorice         2 grs.           Balsam Tolu         1-20 gr.           Powd. Cubebs         \$ gr.           Powd. Ipeeac         1-50 gr.           Oil Sassafras         1-40 gr.           Ammonium Muriate         1½ grs.	70	38	12
3635 Bronchial—Coryza          Oleo-res, Cubebs.          Balsam Tolu.          Ol. Sassafras.          Licorice.          7 grs.	1 25	65	16
3635A Bronchial—Coryza, Dr. Richard's Chocolate Coated Quinine Sulph	1 75	90	21
3636 Bronchial (Dr. Ferguson)	1 50	80	20
Tinct. Aconite.	65	35	. 10
3637A Bronchitis, Chocolate Coated		45	12
3638 Brown Mixture → teaspoonful.  Ext. Licorice. 1-10 gr. Camphor. 1-50 gr. Acid Benzoic. 1-50 gr. Oil Anise. 1-50 gr. Powdered Opium. 1-50 gr. Tartar Emetic. 1-120 gr.	40	23	10
3638A Brown Mixture—1 teaspoonful	50	28	10
3639 Brown Mixture with Ammonium Muriate  Ext. Licorice		40	. 12
3642 Caffeine Citrate, 1-10 gr	60	33 75 30 40 30 40	10 18 10 12 10 12
Calcium Surpmac, 781., Oncomes Santa			

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3646 Calcium Sulphide, 1 gr	\$0 60	<b>\$</b> 0 33	\$0 10
3646A Calcium Sulphide, 1 gr., Chocolate Coated	80	43	12
3647 Calcium Sulphide, 2 grs	75	40	11
Used to prevent the formation of pus in loca inflammations and to correct the abnormal conditions of the blood which favors the formation and discharge of matter.  Dose, \( \frac{1}{2} \text{ for grs. every three or four hours. Less} \)			
for children.			
<b>3648</b> Calomel, 1-20 gr	50	28	10
<b>3649 Calomel,</b> 1-10 gr	50	28	10
3649A Calomel, 1-10 gr., Pink, Wintergreen flavor	50	28	10
3649B Calomel, 1-10 gr., Chocolate Coated	70	38	12
3650 Calomel, ‡ gr	55	30	10
3650A Calomel, ‡ gr., Chocolate Coated	75	40	12
3651 Calomel, ½ gr	60	33	10
3651A Calomel, ½ gr., Chocolate Coated	80	43	12
3652 Calomel, 1 gr	70	38	10
3652A Calomel, 1 gr., Chocolate Coated	90	48	13
3653 Calomel, 2 grs	95	50	12
Calomel, 2 grs. Calomel is used in nearly all derangements of the hepatic functions in doses ranging from 1-100 gr. to 10 grs. In minute doses as a hepatic and intestinal tonic and corrective of diarrhœa; in larger doses as a cathartic either followed by or combined with other cathartics.	<i>ਹ</i> ੁ	30	12
Sugar of Wills) Sugar of Wills)			
3653A Calomel and Bismuth (Triturated by power with Sugar of Milk).  Calomel	1 00	60	20
3654 Calomel with Ipecac Compound. Calomel. 1 gr. Pulv. Ipecac Compound3† grs. In bilious headache and indigestion, one or two after eating	1 00	53	14
3655 Calomel, Ipecac and Soda Bicarb  Calomel	60	33	10
Coated Chocolate	0.0	4.0	
Used in bilious headache and indigestion. One or two tablets after meals.	80	43	12
Calomel and Soda Bicarb, No. 1	65	35	10
3656A Calomel and Soda Bicarb, No. 1, Chocolate Coated			
Caloniciana Sona Ricard Lancock	75	45	12
As a purgative, one or two every hour.	80	43	12
3657 Calomel and Soda Bicarb, No. 2 Calomel	50	28	10
For diarrhea and dysentry of children and vomiting caused by indigestible food or constinu-	70	38	12
3658 Calomel and Soda Compound	1 25	65	16
3658A Calomel and Soda Compound, Chocolate Coated In habitual constipation and to relieve hemorrhoids. One tablet at night.	1 55	75	20

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3659 Camphor Monobromated, 2 grs	.\$1 20	<b>\$0</b> 63	\$0 15
3660 Camphor Monobromated, 3 grs.,	,	85	20
3661 Camphor, Opium and Hyoscyamus  Camphor. 1 gr. Opium Powdered. ½ gr. Ext. Hyoscyamus 4 gr. Used in treatment of nervousness, hysteria, an hysterical disorders generally. One every ha hour until relieved, then three or four times a da as required.	d lf y	60	15
3662 Cannabis Indica Tincture, 2 min	<b>A</b> ,		10
3663 Cascara Sagrada Extract, 2 grs	. 1 25 o	65	17
3663A Cascara Sagrada Extract, 2 grs., Chocolate Coate	d. 1 45	75	20
36632   Cascara Cathartic (Hinkle), Sugar Coated, Red (Cascarin	. 1 50	) 78	17
36631A Cascara Cathartic (Hinkle), Chocolate Coated.	1 5	0 78	17
3664 Cathartic Active	6	5 35	
3664A Cathartic Active, Chocolate Coated One tablet every two hours until bowels move or one to three at night.	8 re,	5 45	12
3665 Cathartic Compound, U.S.P.	1 2	0 63	. 15
3665A Cathartic Compound, U. S. P., Chocolate Coated Ext. Colocynth Comp	., 1 4	() <i>1</i> 3	
3666 Cathartic Compound (Improved)	1 2	0 63	
* 3666. Cathartic Compound (Improved) Chocolate Coat  Ext. Colocynth Comp	.ed 1 4	.0 73	
a day.		15 20	3 10
3666B Charcoal, 5 grs	1 2	25 6	5 16

COMPRESSED WARTERS	Per	Per	Per
COMPRESSED TABLETS.	1,000	bot. of 500	bot. of 100.
Morphia Mur.   † gr.     Ext. Cannabis Ind.   † gr.   Ext. Hyoscyamus   † gr.   Ext. Hyoscyamus   † gr.     Ext. Hyoscyamus   † gr.     Ol-res Capsicum   1-10 gr.   Nitroglycerin   1-300 gr.   Oil Peppermint.   1-10 gr.	.\$3 40	<b>\$</b> 1 73	\$0 37
3667B   Cholera Infantum   Zinc Sulphocarbolate   1-20 gr.   Salol.   1-5 gr.		75	16
3668 Cinchonidia Sulph, 2 grs		95	22
3669 Cinchonidia Sulph, 3 grs		1 20	27
3670 Cinchonidia Sulph., 5 grs	3 75	1 90	41
3671 Coca Fluid Extract, I min	60	33	10
<b>3672</b> Cocaine Muriate, 1-10 gr	2 40	1 23	27
3673 Cocaine Muriate, 1-5 gr	4 20	2 13	45
3674 Cocaine and Cubeb Compound  Cocaine Hydrochlorate	2 40	1 23	28
3675 Codeine, C. P., \$ gr	3 00	1 53	33
3676 Codeine, C. P., ‡ gr		2 53	53
<b>3677</b> Codeine, C. P., ½ gr		4 75	98
		1 93	41
$\begin{array}{lll} \text{Quinine Sulph} & 2 \text{ grs.} \\ \text{Dovers Powders} & 2 \text{ grs.} \\ \text{Capsieum} & \frac{1}{2} \text{ gr.} \\ \text{Tinct. Aconite} & \frac{1}{2} \text{ m.} \end{array}$	3 80	1 93	41
3678A Cold, Chocolate Coated	5 15	2 60	. 65
3679 Compound Licorice Powder, 10 grs	<b>\$</b> 0 75 als	\$0 40	\$0 12
<b>3680 Copper Arsenite</b> , 1-1000 gr	50	28	10
3681 Copper Arsenite, 1-100 gr	50	28	10
3682 Cough, No. 1       1-10 gr.         Aconite       1-10 gr.         Camphor.       1-10 gr.         Opium Powdered.       1-10 gr.         Potass, Nitrate       1-10 gr.	85	45	12
3682A Cough, No. 1, Chocolate Coated	1 05	55	14
3683 Cough, No. 2	60		12

			_
COMPRESSED TABLETS. bo			Per bot. of
	,000	500	100
3684 Cough, No. 3	1 50	<b>\$</b> 0 78	\$0 18
One every two or three hours.			
3685 Creosote (Beechwood), 1 gr	1 25	65	16
3685A Creosote (Beechwood), 1 gr., Chocolate Coated	1 45	75	20
3685A Creosote (Beechwood), 1 gr., Chocolate Coated In the treatment of phthisis Creosote is prescribed in doses of one-half to three minims after meals. In smaller doses it is employed in cases of nausea, vomiting, cholera infantum, etc. The above tablets of Beechwood creasote are made incombination with prepared chalk, for which it is regarded advantageous and admirably adapted.			
3686 Creosote Compound	3 20	1 63	35
For Nausea in Pregnancy.  Creosote			
3686A Creosote Compound, Chocolate Coated For nausea and vomiting. One to two every	3 40	1 73	37
two hours, as required.	1 65	5 85	20
3687 Cystitis, No. 1 for Acid	1 00		
accest a service No. 1 for Apid Chocolate Coated	1 83	95	24
when the time is active any or the control of the c		5 1 15	26
3688 Cystitis, No. 2 for Alkaline.  Benzoic Acid	2 23	) 115	
3688A Cystitis, No. 2 for Alkaline, Chocolate Coated	2 4	5 1 25	28
used same as No. 1.  3689 Damiana Compound	, 15	5 80	19
Used as a stimulant to the generative organs		5 90	22
Ome of wight		5 60	. 15
3690 Diarrhoea			
3690A Diarrhoea, Chocolate Coated	. 1 3	35 70	18
One tablet every LWO OI three hours.	. 1 0	0 53	13
3691 Digitaline, C. P. (Crystals), 1-60 gr		0 48	12
3692 Digitaline, Pure Powder (Merck), 1-60 gr	5	30 43	
3693 Digitaline, Pure Powder (Merck), 1-100 gr	. 7	0 38	
3634 Digitaline, Pure Powder (Merck), 1-200 gr	r		

	_			
COMPRESSED TABLETS.	ot.	Per of 000	Per bot. of 500	
3695 Digitalis, Fl. Ext., 1 m			<b>\$</b> 0 30	\$0 10
3696 Digitalis, Tincture, 5 m		60	33	10
3697 Digitalis and Strophanthus		60	33	10
3697A Digitalis and Strophanthus, Chocolate Coated Used in irregularity of the heart's action. One every two hours at first, then decrease to one three times a day.		80	43	12
3698 Diuretic           Caffeine         † gr.           Potass. Nit         † gr.           Lithium Carb         † gr.	1	25	65	16
3698A Diuretic No. 2		95	50	13
3698B Diuretic No. 2, Chocolate Coated	1	15	60	15
3699 Dovers Powder, U. S. P., 1½ gr		80	43	11
3700 Dovers Powder, 2½ grs		05	55	14
		85	95	22
3701 Dovers Powder, 5 grs				
Transfer	. 1	65	85	20
3702A Emmenagogue, Chocolate Coated	1	85	95	22
State	î	95	1 00	23
3703A Emmenagogue, Improved, Chocolate Coated  Dose, one to three tablets.	2	15	1 10	25
3704 Ergotin, Bonjean, † gr		60	33	10
3705 Ergotin, Bonjean, 1 gr		85	98	22
3706 Fever (Dr. T. G. Davis)		55	30	10
3706A Fever (Dr. T. G. Davis), Chocolate Coated		75	40	12
3707 Fever (Dr. J. H. Kenyon's)	. 1	15	60	15
3707A Fever (Dr. J. H. Kenyon's), Chocolate Coated Dose, one tablet every one, two or three hours		35	70	) 18
as required.  3708 Four Chlorides	. 3	00	1 53	33
Quinine Chloride (Muriate). 1 gr.  3708A Four Chlorides, Chocolate Coated		20	1 13	33

COMPRESSED TABLETS.		Per ot. of 1,000	Per bot. of 500	Per bot. of 100
3712 Gelsemin, 1-100 gr	8	60 60	\$0 33	\$0 10
3713 Gelsemium Tincture, 1 min		50	28	10
3714 Gelsemium Tincture, 5 min	function	60	33	10
3715 Gold and Sodium Chloride, 1-60 gr		1 00	53	14
3716 Gonorrhoea		1 15	60	15
3716A Gonorrhoea, Chocolate Coated  Dose, one to four tablets three or fo daily.	ur times	1 35	70	17
		75	40	10
3717 Guaiac Compound	t. One to			
3718 Gualacol, ½ gr  Used in the treatment of pulmonary osis, commencing with 2 m. in divided increasing the amount 1 minum daily.	doses and	2 20	1 15	26
3765 Headache (See Migraine)		~ ~~	1 05	20
3719   Headache, No. 1			1 35	30
3720 Headache, No. 2, Soda Bromide Compound.           Soda Bromide			1 80	50
3721 Headache, No. 3	and visual hour as re-	1 30	68	16
	,	, 60	33	10
3722A Heart Tonic and Stimulant, Chocolate C Dose, one or two tablets every two h	oated ours, or as	80	43	13
required.  37 23 Helonias Compound (Vaginal)		, 2 00	1 05	23
Second		. 85	45	; 1:

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 160
3727 Hepatic (Dr. Kenyon)	\$0 75	\$0 40	\$0 11
Euonymin			
3725A Hepatic (Dr. Kenyon), Chocolate Coated	95	50	13
3726   Hepatic, Eelectic		\$0 98	<b>\$</b> 0 22
2726A Heroin Hydrochlorate, 1-12 gr		1 16	26
3727 Hyoscyamine, C. P. Crystals, 1-100 gr	1 45	75	1 8
3728 Hyoscyamine, C. P. Crystals, 1-250 gr Employed chiefly as a hypnotic in mental disorders, anodyne and antispasmodic in asthma, epilepsy, chorea, etc. Small doses frequently repeated.	90	48	12
3729 Ipecac Powd, ½ gr.  Dose, as an emetic one to five grains with warm water repeated frequently if it fails to act promptly; as an expectorant and diaphoretic, ½ to ½ gr.; as an alterative in diseases of the stomach and bowels 1-10 to ½ grain two or three times a day.	90	48	12
3730 Iron Arsenate, 1-10 gr	55	30	10
3731 Iron Arsenate, † gr	55	30	10
3732 Iron Arsenate, † gr. Used for its tonic, alterative action, in diseases in which anæmia is a prominent sympton. Dose, 1-60 to † gr. three times daily.	55	30	10
3733 Iron, Arsenic and Nux Vomica  Iron by Hydrogen 1 gr. Arsenous Acid. 1-100 gr. Ext. Nux Vomica. 1 gr.  Used as a stomachic and general tonic. One after meals.	65	35	10
3734 Iron, Arsenic and Strychnine	65	35	10
3734A Iron, Arsenic and Strychnine, Chocolate Coated Used in anomia and chlorosis. One after each meal.	85	45	12
3735 Iron, Quinine and Strychnine, No. 1 Iron by Hydrogen . 1 gr. Strychnine Sulphate	1 25	65	16
3735A Iron, Quinine and Struchning No. 1 Characters			
Coared	1 45	75	18
3736 Iron, Quinine and Strychnine, No. 2.  Iron by Hydrogen 1 gr.  Strychnine Sulphate 1-60 gr.  Quinine Sulphate 1 gr.		95	22
3/30A Iron, Quinine and Strychning No. 9 Charalta			
Coated.  3737 Iron, Quinine and Strychnine, No. 3.  Iron by Hydrogen	2. 05	1 05 1 08	26 24

## Our Successful Gauge on Nerve and Brain Tablets is Repeated Orders 61

COMPRESSED TABLETS.	bot	er . of 000	Per bot. of 500	Per bot. of 100
3738 Iron and Strychnine Compound	\$1	30	\$0 68	\$0 16
Iron by Hydrogen ½ gr. Quinine Sulphate ½ gr. Arsenous Acid 1-100 gr. Strychnine Sulphate 1-100 gr.				
3738A Iron and Strychnine Compound, Chocola	te			
Coated Used in anæmia, and chlorosis. One or tw tablets, according to age, after meals.	70	50	78	18
3739 Lead Acetate (sugar of lead), 1-12 gr		50	28	, 10
3740 Leptandrin, † gr		55	30	10
3741 Leptandrin, † gr		55	30	10
3742 Leptandrin, † gr		55	30	10
3743 Lithium Carbonate, 1 gr		50	78	18
3744 Lithium Carbonate, 2 grs		85	95	22
3744A Lithium Carbonate, 5 grs  Used to promote the solution and rapid exertion of gouty concretions and deposits originatifrom an excess of uric acid. One to three table after meals.	ng	1 50	2 75	70
3744B Lithia Citrate, 3 grs., effervescent, per pound	\$	2 25		
In bottles of 40, per doz				
3741C Lithia Citrate, 5 grs., effervescent, per pound	2	2 50		
In bottles of 40, per doz One tablet in a glass of fresh water makes	2	2 75		
natural spring water. For gout, rheumatiss	m,			
3745 Lupulin and Bromide Comp		1 15	60	15
3745   Lupulin and Bromide Comp				
Used as a nerve sedative. One to two, three		1 35	70	17
four times daily.		50	28	10
3746 Manganese Binoxide, 1 gr				
3747 Manganese Binoxide, 2 grs	ole er	65	35	10
		1 25	63	33
3748   Mentholic Throat	ne			
3749 Mercury Bichloride, 1-30 gr		50	28	10
3750 Mercury Bichloride, 1-60 gr		50	28	
2751 Moreury Richloride, 1-100 gr		50		
3752 Mercury Bichloride, 1-150 gr Used in minute doses as an alterative and toni	е.	50		
3753 Mercury Biniodide, 1-10 gr		55		
3754 Mercury Biniodide, 1-20 gr		55		
3755 Mercury Biniodide, 1-32 gr		55	-	
3756 Mercury Biniodide, 1-40 gr		55 en		
3757 Mercury Prot-Iodide, 1-6 gr		60 60	33 33	
3758 Mercury Prot-Iodide, † gr		80	43	
3753. Mercury Prot-Iodide, † gr., Chocolate Coated		65		
3759 Mercury Prot-Iodide, † gr		96	0	

	Per	F Per	Per
COMPRESSED TABLETS.	bot. of	bot. of	bot. of
	1,000	500	100
3759A Mercury Prot-Iodide, ‡ gr., Chocolate Coated	.\$0 85	\$0 45	<b>\$</b> 0 12
ozen Manaury Prot-Indide, † gr	. 50	48	12
- Deat Indide tor Chocolate Coated	. 1 40	58	15
gr. gradually increased to 2 grs. daily.  The red iodide and yellow iodide of mercury ar	_		
		•	
In larger doses in diseases due to syphilitie infection			
2761 Moreury with Chalk, ½ gr	. 50	28	10
3762 Mercury with Chalk . 1 gr Used in the treatment of diarrhea and dysenter Used in the treatment of diarrhea and dysenter	. 55	30	10
Used in the treatment of diarrhœa and dysenter of infants. Minute doses every one to three hours	<b>y</b>		
of infants. Willule doses every one to three as	~	28	10
3763 Mercury Yellow Oxide, 1-200 gr	. 50	28	10
3764 Mercury Yellow Oxide, 1-100 gr	. 2 75		40
3764A Methylene Blue, 1 gr., S. C. White	. 1 35	70	17
3765 Migraine, No. 1	. 1 00	10	11
Camphor Monobromated ½ gr.			
Acetanilid			
3765A Migraine, No. 1, Chocolate Coated	, 1 55	80	19
Antipyretic, analgesic. Used in neuralgia an	al ·		
nervous headache. One repeated every half hou until relieved.	.1		
	. 1 00	53	. 15
<b>3766 Migraine</b> , No. 2			
$egin{array}{lll}  ext{Soda Bicarb} & & & 1rac{1}{2} ext{gr}. \  ext{Charcoal} & & & & 1 &  ext{gr}. \end{array}$			
Charcoal gr.	1 10	. 58	14
<b>3770 Morphine Sulph.,</b> 1-12 gr	. 1 55	82	19
3771 Morphine Sulph., † gr	1 50		19
3771A Morphine Sulph., † gr., Pink	. 1 50		20
3771B Morphine Sulph., 1 gr., Chocolate Coated	. 1 70	88	23
3772 Morphine Sulph., † gr	. 2 00	1 05	23
3772A Morphine Sulph., & gr., Chocolate Coated	. 2 20	1 05	
3773 Morphine Sulph., ‡ gr	. 2 90	1 48	32
3773A Morphine Sulph., † gr Chocolate Coated	. 3 10	1 58	33
3774 Morphine Sulph., ½ gr	. 5 30	2 70	56
3774A Morphine Sulph., ½ gr., Chocolate Coated	. 5 50	2 80	60
3775 Morph. and Atropine, No. 1	. 2 28	5 1 16	26
Morphine Sulph † gr. Atropine Sulph 1-200 gr.			
Anodyne and anti-spasmodic.			
3776 Morph, and Atropine, No. 2	3 80	0 1 93	41
Morph. Sulph			
Atropine Sulph1-150 gr.		. 05	10
<b>3777 Nerve Tonic,</b> No. 1	6	5 35	10
Ext. Nux Vomica \ \frac{1}{4} gr.			
3777A Nerve Tonic, No. 1, Chocolate Coated	8	5 45	12
Used in functional impotence and as a gener			
nerve tonic, one three times a day.			
3778 Nerve Tonic, No. 2	9	0 48	12
Zinc Phosphide1-10 gr.			
Ext. Nux Vomica			
3778A Nerve Tonic, No. 2, Chocolate Coated	1 1	0 58	14
Used for nausea and vomiting of pregnance	у.		
One every three or four hours.			
3779 Neuralgic	3 (	00 1 5	3 36
Morphine Sulphate 1-10 gr			
Su yenime Suph1-100 gr.			
Ext. Aconite † gr. Anodyne, alterative and tonic. One tablet, a	,		
Anodyne, alterative and tonic. One tablet, a repeat in an hour if necessary,	nd		
repeat in an nour it necessary.			

COMPRESSED TABLETS.	Per bot .of 1,000	Per bot. of 500	Per bot. of 100
3780 Neuralgic (Dr. Gross). Quinine Sulphate	\$4 75	\$2 40	<b>\$</b> 0 49
Quinine Sulphate 2 grs.			
Ext. Aconite			
Strychnia			
Acid Arsenous1-20 gr.			
3780A Neuralgic (Dr. Gross), Chocolate Coated	4.05	2 50	62
One every hour or two as required.	1 30	2 30	04
3781 Neuralgie, Idiopathic	3 50	1 78	. 38
(Brown-Sequard.)	0 00		90
Extract Henbane			
Extract Ignatia ½ gr.			
Extract Ignatia ½ gr. Extract Aconite. ½ gr. Extract Stramonium1-5 gr.			
Extract Opium ½ gr.			
Extract Opium			
Extract Cannabis Indica ‡ gr.			
Extract Belladonna † gr.			
3782 Neuralgic (Kenyon) Zinc Phosphide	\$0 80	<b>\$</b> 0 43	\$0 11
Ext. Cannabis Indica † gr.			
Sodium Arsenate1-20 gr.			
Ext. Cannabis Indica			
Aconitine1-400 gr.			
3782A Neuralgic (Kenyon), Chocolate Coated One tablet every hour or two as required.	. 1 00	53	13
	F0	00	10
3783 Nitro-Glycerin, 1-250 gr		28	10
3784 Nitro-Glycerin, 1-200 gr		28	10
3784A Nitro-Glycerin, 1-200 gr., Chocolate Coated		38	12
3785 Nitro-Glycerin, 1-100 gr	50	28	10
3785A Nitro-Glycerin, 1-100 gr., Chocolate Coated	. 70	38	12
Used in cases of cardiac failure and the condition			
of sudden weakness, which may issue from vario	us		
terized by vaso-motor spasm (pallor of the fac	,C= (A		
contra-indicated when the face is flushed. The i	n-		
causes. In cases of migraine of that form chara terized by vaso-motor spasm (pallor of the fac contra-indicated when the face is flushed. The itial dose should be the smallest.			
3786 Nitro-Glycerin Comp	60	35	10
Nitro-Glycerin			
Tr. Digitalis			
Tr. Digitalis 2 min. Tr. Strophanthus 2 min. Tr. Belladonna. ‡ min.			
27964 Nitro-Clycerin Comp. Chocolete Coated	80	45	12
Used in cardiac weakness and in function	al	10	
cardiac disturbances. One every three hours.			
3787 Nux Vomica and Ignatia Comp	85	45	12
Each tablet represents 10 min of Dr. Freligh	ı's		
tonic.			
3787A Nux Vomica and Ignatia Comp., Chocolate Coat	ed 1 05	55	13
Used as a stomachic in dyspepsia and as a ge eral nerve tonic. Dose, as required after ea			
meal.	OII		
3788 Nux Vomica Ext., ½ gr	55	30	10
3789 Onium and Lead Acetate, No. 1		70	17
Po. Opium ½ gr.			
Po. Opium	m = 2		
Used in diarrhœa and dysentery. One even hour or two.	y		
3790 Opium and Lead Acetate, No. 2	2 25	1 15	26
Po. Opium 1 gr.			
Po. Opium			
3791 Pancreo-Digestin, S. & W., 5 grs	4 50	2 30	48
3792 Pancreo-Digestin Comp	3 50	1 78	40
Pancreo-Digestin1 gr. Bismuth Subnitrate1½ grs.			
Bismuth Subnitrate 1 grs.			
Ginger			
Doda Dioniponarymini i i i i 2 8			

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3793 Pancreo-Digestin and Charcoal	<b>84</b> 50	\$2 30	<b>\$</b> 0 48
3794 Paregoric, 5 m	65	35	10
3795 Paregoric, 10 m	75	40	11
3796 Pepsin, Pure, 1 gr., 1-3000	1 65	85	20
3796A Pepsin, Pure, 1 gr., 1-3000, Chocolate Coated  For impaired digestion to facilitate the conversion of food into readily assimilable peptones. The functional gastric and gastro-intestinal disorders of children may often be relieved by pepsin given immediately before or after meals.		95	22
<b>3797 Pepsin,</b> Pure, 2 grs.; 1-3000	2 75	1 40	31
<b>3797</b> A <b>Pepsin,</b> Pure, 2 grs.; 1-3000, Chocolate Coated Dose, one or two tablets after meals.		1 50	33
7798 Pepsin and Bismuth	1 40	73	17
3799 Pepsin, Bismuth and Charcoal           Pepsin, pure         1 gr.           Bismuth Subnitrate         2 grs.           Charcoal         5 grs.	3 50	1 78	38
3800 Placebo Saccharum Lactis	50	28	10
3801 Podophyllin, ½ gr	55	30	10
3802 Podophyllin, & gr	55	30	10
3803 Podophyllin, ½ gr	65	35	10
3803A Podophyllin, † gr., Chocolate Coated	85	45	12
3804 Podophyllin, ½ gr  Minute doses of Podophyllin are used in irritable conditions of the gastro-intestinal tract and as a stimulant in states of functional torpor of the portal system.	75	40	11
3807 Potassium Arsenite, 1-100 gr	50	28	10
3808 Potassium Arsenite, 1-66 gr	50	28	10
3809 Potassium Arsenite, 1-33 gr.  Representing Fowler's Solution 3 m.  Potassium Arsenite, in minute doses, is used in atonic conditions of the nervous and nutritive tissue, stimulating both. Useful in skin diseases with eruptions, imperfect nutrition and glandular deposits, in non-inflammatory diseases of the respiratory and digestive mucous membranes of their nerve supply.	55	30	10
3810 Potassium and Ammonium Bromide	1 00	53	13
3811 Potassium, Ammonium and Sodium Bromide Potassium Bromide	1 50	78	18
3812 Potassium Bicarbonate, 5 grs	65	35	12
3813 Potassium Bromide, 5 grs Used as a sedative. Dissolve dose required in water and repeat every hour until its specific effect appear.	1 35	70	17

						_
COMPRESSED TABLETS.	Pot. 1,0	of	bot.	of '	Pa thot.	of
3814 Potassium Chlorate, 5 grs			\$0		\$0	
3814 Potassium Chlorate, 5 grs						
the tongue every two or three hours.						
3815 Potassium Iodide, 5 grs	4	95	2	50		<b>5</b> 3
Tablets to be followed with free use of drinking						
water.						
3826 Potassium Permanganate, ½ gr		50		28		12
3817 Potassium Permanganate, 1 gr		50		28		12
3818 Potassium Permaganate, 2 grs		55		30		12
Used internally in conditions where increased oxidation seems demanded. Dose, ½ to 2 grs. dissolved in a large amount of water. Used locally in solution as an antiseptic and deodorant.						
3821 O. V-I. (S & W)	1	90	1	00		23
3821 Q. V-I. (S. & W.).       1 gr.         Iron, Quevennes						
3821AQ. V-I. (S. & W.), Chocolate Coated	2	10	1	10		25
3822 Quinine Sulphate, ½ gr				58		13
3823 Quinine Sulphate, 1 gr., Chocolate Coated	. 1	50		78		18
3824 Quinine Sulphate, 2 grs., Chocolate Coated	. 2	50	1	30		28
3824 A Quinine Sulphate, 2 grs., Sugar Coated Pink	. 2	50	1	30		28
3825 Quinine Sulphate, 3 grs., Chocolate Coated	. 3	75	1	90		41
3826 Quinine Sulphate, 5 grs., Chocolate Coated	. 5	90	3	00		52
3827 Quinine, Iron and Arsenic	. 1	90	1	00		23
3827 Quinine, Iron and Arsenic.  Quinine Sulphate. 1 gr.  Iron Pyrophosphate. ½ gr.  Acid Arsenous. 1-50 gr.						
3828 Rheumatic		00	1	03		25
3829 Rheumatic (Dr. Lord)	. 3	50	1	78		39
3829 Rheumatic (Dr. Lord)         5 grs.           Sodium Salicylate         5 grs.           Colchicin         1-120 gr.           Codeine Sulph         1-16 gr.           Macrotin         1-10 gr.           Ext. Poke Root         ½ gr.						
3829 A Rheumatic (Dr. Lord), Chocolate Coated	. 3	70	1	88		12
F1. Ext. Belladonna † min. Quinine Sulph † gr. One tablet at hourly intervals until the throa feels dry and acute symptoms have disappeared.	t	80		40		12
agent Phinitic (Dr. Lincoln) half strength, Chocolate	3	0.5		55		14
Coated	. 1	. U5 85		45		12
3831 Rhubarb and Ipecae Compound	•	33		40		14
Rhubarb Powdered 1 gr. Soda Bicarb	h.					
		00		00		10
3832 Rhubarb and Soda Compound.  Rhubarb	t -	60		33		12
stipation. One or two after meals.  3833 Salicin, 2½ grs	. 4	25	2	10		45
2024 Sullain 5 cm	. 8	00	4	00		83
3834 Sallein, 5grs Recommended in acute rheumatism, in intermittents, typhoid conditions, etc. Dose, I to 1 grs.	0					

hours or three times a day as required.

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3854 Strychnine Arsenate, 1-100 gr	.\$0 55 6	<b>\$0</b> 30	\$0 10
3855 Strychnine Nitrate, 1-60 gr	. 60	33	10
3856 Strychnine Nitrate, 1-40 gr	. 65	35	10
3856 Strychnine Nitrate, 1-40 gr	3-		
3857 Strychnine Sulphate, 1-100 gr	. 55	30	10
3858 Strychnine Sulphate, 1-60 gr		30	10
3858A Strychnine Sulphate, 1-60 gr., Pink	. 55	30	10
3858B Strychnine Sulphate, 1-60 gr., Chocolate Coated		40	12
3859 Strychnine Sulphate, 1-40 gr	. 60	33	10
3859A Strychnine Sulphate, 1-40 gr., Chocolate Coated		43	12
3860 Strychnine Sulphate, 1-30 gr	. 65	35	10
3860A Strychnine Sulphate, 1-30 gr., Pink	. 65	35	10
3860B Strychnine Sulphate, 1-30 gr., Chocolate Coated	. 85	45	12
3861 Strychnine Sulphate, 1-20 gr	. 70	38	10
3861A Strychnine Sulphate, 1-20 gr., Chocolate Coated  Used as a general nerve tonic in cases where exists motor depression or impairment of nutrition of nerve centers.	. 90 x- on	47	12
	. 55	30	10
3862 Sulphur and Cream Tartar	. 00	00	10
3863 Sulphur Compound (Dr. Q. C. Smith)	1 05	55	14
Sulphur.   5 grs.			277
3864 Sun Cholera (Sugar coated only Tr. Opium 3 min. Tr. Rhei 3 min. Tr. Capsieum 3 min. Tr. Cl. Menth. Pip. 3 min. Tr. Camphor 3 min. Each tablet represents 15 minims of Sun Choler Mixture. For summer diarrhæa and the prelimina diarrhæa of Asiatic Cholera. One to three table every two, three or four hours, as necessary.	rv	60	15
3865 Terpin Hydrate, 1 gr	70	38	10
3866 Terpin Hydrate, 3 grs	1 70 ne	83	20
3867 Throat	us	· 65	16
tongue every half hour.  3868 Tonic—Aiken's	2 50	1 28	28
Ext. Gentian † gr.	2 70	1 38	30
3868A Tonic—Aiken's, Chocolate Coated Used in the treatment of acute malarial to œmia, and chronic malarial diseases, anæm chlorosis, etc. One three times a day after mea	x- ia, s.	. 30	30

COMPRESSED TABLETS. b	Per ot. of 1,000	Per bot of. 500	Per bot. of 100
Sodium Chloride		\$0 45	<b>\$0</b> 12
3870 Tonic—Hammond's	1 40	73	17
3870A Tonic—Hammond's, Chocolate Coated	1 60	83	19
Tr. Aconite Root.   1-5 gtt.   Tr. Bryonia.   1-10 gtt.   Tr. Belladonna.   1-10 gtt.   Mercury, Red Iodide.   1-100 gr.	60	33	10
3871A Tonsilitis Comp, Chocolate Coated		43	12
3872 Tully's Powder, 1 gr	63	35	10
3873 Tully's Powder, 5 grs	2 25	1 15	26
3875 Veratrum Viride Tincture, 1 m	50	28	10
3876 Veratrum Viride Tincture, 2 m	55	30	10
3877 Viburnum Compound (Uterine Tonic)	1 95	1 00	23
3877A Viburnum Compound (Uterine Tonic), Chocolate	9 0	1 10	26
3877B Woodbridge Treatment—Typhoid No. 1			18
Podophyllin   1-960 gr.   Calomel.   1-16 gr.   Guaiacol Carb.   1-16 gr.   Menthol.   1-16 gr.   Eucalyptol.   q. s.	. 1 50	78	10
3877C Woodbridge Treatment—Typhoid No. 2.   Podophyllin   1.960 gr.     Calomel   1-16 gr.     Guaiacol Carb   ½ gr.     Menthol   1-16 gr.     Thymol   1-16 gr.     Eucalyptol   qs.	3 25	1 65	36

COMPRESSED TABLETS.	Per bot. of 1,000	Per bot. of 500	Per bot. of 100
3877C Woodbridge Treatment-Typhoid No. 4. Childre	n.\$2 75	\$1.41	0\$ 31
Podophyllin   1-960 gr.   Calomel   1-16 gr.   Guaiacol Carb   1 gr.   1 gr.   Menthol   1-96 gr.   Eucalyptol   qs.		Φ1 41	04 31
3878 Zinc Sulpho-Carbolate, † gr	55	30	10
3878A Zinc Sulpho-Carbolate, 2 gr.,	75	40	11
fever and enteritis. Dose, 2 to 5 grains every two or three hours.			
3879 Zinc Valerianate, † gr	75	40	11

### COMPRESSED TABLETS IN BULK.

	Pri	

	ı i	Per.	lb.
3600	Ammonium Chloride, 3 grs	.\$0	60
3601	Ammonium Chloride, 5 grs		55
3882	Borax, 5 grs		50
3640	Cachous Sugar		70
3883	Comp. Licorice Powder, 10 grs		60
3633	Bronchial, 5 grs		85
	Potassium Brom., 5 grs		90
3814	Potassium Chlor., 5 grs		50
3845	Soda Mint, 5 grs		45
3884	Borax and Chlorate Potass., 5 grs		30
	Borax		
3885	Pepsin, Sacch., 3 grs	1	75

### Tablets in Screw Top Watch Case Bottles.

		Pe	r do	z. Pe	er gross
3600	Ammonium Muriate		. \$0	75	\$8 50
3814	Chlorate Potass			75	8 50
3845	Soda Mint			75	8 50
3885	Pepsin Sacch		. 1	25	12 00
3633	Bronchial			75	8 50
3640	Cachous Sugar			75	8 50

## HYPODERMIC TABLETS

Accurate and Soluble. Prepared with Extra Care, and of the Purest Materials.

We supply the tablets in tubes, in which package they will be less apt to break or crumble, as they fit closely in the tube. This package also enables the druggist to sell the tablets in original packages when smaller quantities than 100 are called for.

	Net Prices.	Per	Per	Per
		tube of 20	100 in tubes	bot. of
3886	Aconitine, C. P. (Crystals), 1-500 gr		\$3 64	\$0 50
	Apomorphine Hydrochlorate, 1-10 gr		60	52
	Apomorphine Hydrochlorate, 1-20 gr		46	33
	Atropine Sulphate, 1-50 gr		38	30
	Atropine Sulphate, 1-150 gr		32	25
3891	Atropine Sulphate, 1-200 gr	. 10	32	25
3892	Cocaine Hydrochlorate, † gr	. 19	68	60
3893	Cocaine Hydrochlorate, 1-10 gr	. 18	65	57
3894	Codeine Sulph., ½ gr	. 15	53	45
3895	Digitaline (Crystals), 1-100 gr	. 10	32	24
3896	Eserine Sulphate, 1-60 gr	. 20	80	70
3897	Eserine Sulphate, 1-100 gr	. 10	40	35
3898	Eserine and Morphine	. 20	80	70
	Eserine Sulphate			
3899	Hyoscyamine C. P. (Crystals), 1-100 gr	. 12	38	30
	Hyoscyamine C. P. (Crystals), 1-200 gr		38	30
	Morphine Sulphate, ½ gr		83	75
	Morphine Sulphate, \(\frac{1}{3}\) gr		61	53
	Morphine Sulphate, † gr		46	38
	Morphine Sulphate, † gr		38	30
	Morphine Sulphate, † gr		34	26
3906	Morphine Sulphate, 1-10 gr	. 11	34	26
3907	Morphine Sulphate and Atropine, No. 1	. 12	48	40
	Morphine Sulphate			
3008	Morphine Sulphate and Atropine, No 2	. 11	44	36
3300	Morphine Sulphate f gr.	. 11	77	30
	Atropine Sulphate1-180 gr.			
3909	Morphine Sulphate and Atropine, No. 3	. 11	44	36
	Morphine Sulphate			
3910	Morphine Sulphate and Atropine, No. 4	. 11	44	36
	Morphine Sulphate gr.		* *	00
	Atropine Sulphate1-150 gr.			
3911	Morphine Sulphate and Atropine, No. 5	. 12	48	40
	Morphine Sulphate 1 gr. Atropine Sulphate 1-200 gr.			
3912	Nitro-Glycerin, 1-100 gr	. 9	32	25
3913	Nitro-Glycerin, 1-200 gr	. 9	32	25
3914	Pilocarpine Muriate, 1-10 gr	. 35	1 50	
3915	Pilocarpine Muriate, 1-20 gr	. 23	80	
3916	Physostigmine Salicylate, 1-60 gr	. 15	60	55
3917	Physostigmine Salicylate, 1-100 gr	. 11	44	40
3918	Strychnine Nitrate, 1-60 gr	. 9	36	25
3920	Strychnine Sulphate, 1-50 gr	. 9	36	25
3921	Strychnine Sulphate, 1-60 gr	. 9	36	25
3922	Strychnine Sulphate, 1-100 gr	. 9	36	25
3923	Strychnine Sulphate, 1-30 gr	. 9	36	25

### Dear Doctors and Druggists:

It has been a pleasure to us many times each year for the past thirty years to show to our friends the City of Chicago. Knowing a little time well directed will enable one to see more worth the seeing than much more time spent where one is unacquainted, we here print, in a cordial spirit of entertainment—

# STEARNS & WHITE CO. 'S

Facts and Sights

OF

## CHICAGO

FOR

Doctors and Druggists.

What to see. How to reach the sights, and time taken from the business district. We feel the information will be interesting, useful and instructive, and that it will be preserved.

('opyrighted by

# STEARNS & WHITE O.

Manufacturing Chemists 181 to 189 Chestnut St., Cor. N. Franklin St. CHICAGO

## FACTS OF CHICAGO.

Chicago has 2,569 miles of streets, 4,863 miles of sidewalks, 188 square miles of area, 342 miles of street railroads, 38 miles of elevated railroads, 821 churches, hotels accommodating 150,000 guests, 31 theatres, 34 railroads where 90,000 miles center, factories that pay \$350,000 a dayfor labor, elevators that receive 242,408,000 bushels of grain a year, lumber yards that receive 1,286,643,000 feet of lumber a year, 47 buildings from ten to twenty stories high, waterworks that pump from 22 miles of tunnels under Lake Michigan 254,208,500 gallons of water per day through 1,692 miles of water mains, a post office that employs 1,319 clerks, 1,096 carriers who handle 800,000,000 pieces of mail a year, 2,200 acres of parks, 67 miles of boulevards, 22 miles of lake frontage, 41 miles of river frontage, where 8,500 vessels load and unload each year, 410 schools with 4,700 teachers and 213,825 scholars. She has three tunnels under and 54 bridges over the Chicago River,

She has three tunnels under and 54 bridges over the Chicago River, 51,143 street lamps, banks with \$34,474,500 capital and \$186,947,320 deposits, with bank clearings of \$4,413,054,108, fire department with 17,365 hydrants, 1,133 men and 447 horses, 3,250 policemen, 300 acres of stock yards, that receive 7,659,472 hogs, 2,600,476 cattle, and

3,590,655 sheep each year.

With her 516,000 Americans, 94,000 Bohemians, 36,900 Canadians, 46,500 English, 23,000 French, 515,000 Germans 27,000 colored, 261,200 Irish, 24,200 Italians, 48,000 Norwegians, 102,100 Polish, 2,600 Chinese, 24,300 Scotch, 41,000 Russians, 117,000 Swedish, and

4,000 Welsh, she has in all 1,883,000 people.

Chicago burns 1,616,498 tons of hard coal, and 4,790,437 tons of soft coal a year, has 6,300 saloons that average about \$26.50 a day each, or \$60,000,000 a year. It costs \$10.50 a mile to clean the streets \$1,058,496.88 a year for light. The tonnage is 12,965,812. The death rate is 14.4 per 1,000 the lowest of any large city.

Chicago men smoke 800,000 cigars a day, costing \$40,000. The total spent for tobacco each year is about twenty-five millions of dollars.

Her people chew five million sticks of gum a week, two and one half carloads, costing \$50,000. She uses 45,000 dozen eggs each day, consumes 131,000 gallons of milk, each inhabitant taking a little over half a pint. It takes 110,000 pounds of soap a day to keep the city even as clean as she is. She uses four billion pounds of ice each year.

Chicago's debt, including drainage, park and all, is \$45,000,000, or \$27.06 per capita. Borrowing limit, actual value, 1 per cent. Tax rate

per \$1,000, actual value, \$11.93—the smallest of any large city.

### HISTORICAL.

Chicago comes from the Indian word meaning wild onion. In 1673, the locality was first visited by Joliet and Marquette. In 1864 it was garrisoned with 60 men, in 1803 Fort Dearborn was erected, destroyed in 1812, rebuilt in 1816, and finally removed in 1857. In 1831 Cook County was settled and the first post office opened. In 1833 it was ceded by 7,000 Indians. In 1833 the town was organized and harbor improvements began. In 1834 the first draw bridge was built, in 1837 the city incorporated 350 people. Rush Medical College was founded in 1840, when the population was 4,170, and public schools were established. In 1850 the population was 28,269 and the first railroad was built and gas supplied. In 1860 the population was 109,206, in 1870 306,605, in 1880, 503,053, in 1890, 1,098,576. Originally the town was from five to twenty-seven feet above the lake but since then has been

raised from six to twelve feet. On October 9th, 1871, fire destroyed three and a half square miles of the city, 17,400 buildings, or \$190,-000,000 worth of property, 9,800 persons were made homeless and about 250 lives were lost. The fire started at the corner of DeKoven and Jefferson streets. The 1874, July 14th, fire destroyed sixty acres and \$4,000,000 worth of property. Fort Dearborn was where is now Michigan avenue and River street.

### NORTH SIDE.

County Jail and Criminal Court Building is at the corner of Dearborn avenue and Michigan street, two blocks north of the river. It is Visitors are admitted Tuesdays and Fridays the finest in the country. 9:30 A. M. to 11:30 A. M. and 1:30 to 3:30 P. M., the average number of prisoners being 700.

Chicago Historical Society, Dearborn avenue and Ontario street, three blocks north of the County Jail. The Museum holds material to preserve the history of the North Western states. It is the only building in the world of absolute fire proof construction. It is free to the

public Mondays and Thursdays, 9 to 5.

North Side Water Works, Chicago avenue and Pine street, one mile

north of Court House. Pumping 36,000,000 gallons a day.

Lincoln Park is north three miles, has 320 acres. By North Side Limits Car it takes twenty-five minutes. \$200,000 are spent yearly for its maintenance and buildings. The Academy of Science was founded in 1857. The cost of present building was \$100,000. It contains 50,000 specimens. Admission is always free. Library of references has 7,000 volumes and free lectures in July and August. The Palm House has a fine collection of tropical plants. There are animal houses for monkeys, kangaroos, parrots, snakes, etc., outside cages for eagles and birds, pits for brown, grizzly and polar bears, cages for fine specimens of lions, tigers, leopards; pits for foxes, badgers, raccoons; yards for deer, the wapiti, buffaloes, elephants, dogs, etc. Besides there are refectory, boat houses, fresh air fund building, flowers, foliage, lakes, bridges, fountains, drives, walks, esplanade, mall, tennis courts, base ball grounds, lagoons and paved beach, statues of Lincoln, Grant, Franklin, Linne, Schiller, La Salle, Anderson, Shakespeare; Alarm Signal of Peace, and Beethoven. The Electric Fountain plays Tuesdays and Fridays in the summer, throws water 100 feet high and is illuminated with fifteen electric colored lights of 8,000 candle power.

The Ferris Wheel of World's Fair fame, is two blocks west of the

north end of Lincoln Park.

Lake Shore Drive is one-quarter mile south with many fine resi-

dences and Sheridan Road is north of Lincoln Park.

Newberry Library is on Clark street and facing Washington square, one mile north. It is rich in all works of references particularly so in Genealogy. The Medical Department is second only to the Surgeon Generals at Washington. It is hoped in two years to eclipse this. It contains up to date 31,126 volumes, 25,900 pamphlets, 57,026 books and pamphlets.

A large number of sets of periodical literature forms a strong feature in this collection and Gynæcology and Obstretrics are well

The above number also includes the "Senn Collections," consisting of 9,063 volumes and 15,258 pamphlets, embracing two libraries.

1. The Dr. Baum Library, famous for its surgical works from the

Middle Ages to our own time, and

2. The Du Bois Raymond Library consisting chiefly of Physiological works.

450 periodicals are kept on file.

Chicago has large private libraries of Physicians and Surgeons: Dr. N. Senn, Dr. C. Fenger, Dr. R. N. Isham, Dr. J. B. Hamilton, Dr. N. S. Davis, Dr. J. B. Murphy.

### SOUTH SIDE.

The value of the land on the South Side from the river to 12th street, which is two-thirds of a mile wide by one and one-third miles long is \$420,332,590. The value of improvements is \$102,936,500.

South Water Street is interesting because most of the produce is

here handled.

Rush Street Bridge, foot of Michigan avenue is a good place to see the shipping. Early any summer morning the larger boats of the

Goodrich, Lake Superior and other lines may be seen here.

Masonic Temple, N. E. corner State and Randolph. See the court twenty stories high. It has fourteen elevators and is valued at \$2,804,-960. The Public Library, S. W. corner Michigan avenue and Randolph street. Open from 9 A. M. to 9 P. M. There are 235,385 volumes and 44,069 unbound pamphlets. The home circulation of books is the largest of any library in the world, 1,346,131 volumes a year, or 4,620 a day. This beautiful building should be visited. It cost \$2,125,000 and has a capacity for 2,000,000 volumes.

Marshall Field & Co.'s Retail Store, State, Washington, Randolph and Wabash avenue. Value of building, \$3,888,600. Number of employees, 3,500 to 4,000. Annual sales ten to twelve and one half

million dollars.

Columbus Memorial Building, S. E. corner State and Washington streets, fifteen stories high. Notice bronze and mosaic work. Value

\$2,201,000.

The John Crerar Library, N.W. corner Wabash avenue and Washington street, sixth floor. Scope—A free public reference library of scientific literature. The special field is the natural, the physical, and the social sciences with their applications. Number of volumes, 43,000. Periodicals in the reading rooms, 1,500. Building fund, \$100,000. The endowment fund, the income of which only is to be used is \$3,000,000. While medicines is included in the Newberry field, yet the John Crerar Library is especially rich in Zoology, Hygiene and Sanitary Engineering.

Reliance Building, S. W. corner State and Washington streets, fifteen stories high. White polished tile outside. Value, \$1,238,220.

The Champlain, N. W. corner State and Madison streets, fifteen

stories high. Value, \$1,434,360.

Palmer House, S. E. corner State and Monroe streets. 750 rooms.

See rotunda parlors and dining rooms. Value, \$5,053,300.

Art Institute, Michigan avenue, foot of Adams street. Paintings and statuary valued at \$1.000,000. Cost of building, \$800,000. There are 2,000 pupils in the Art School which is believed the greatest number of any Art School in the world. 600,000 people visit the Institute annually. Free Wednesdays and Saturdays, 9 to 5. Sundays, 1 to 5. Other days, 9 to 5, admission 25 cents.

The Tower of Montgomery Ward & Co. building Michigan avenue

and Madison street, is 394 feet high.

Chicago Athletic Association, 124 to 126 Michigan avenue. The basement has bowling alleys, 1st floor cashier, Turkish baths and swimming pool; 2nd floor, lounging, billiard and grill rooms; 3rd floor, offices, library, barber shop and lockers; 4th and 5th floors, gymnasiums 6th and 7th floors, batchelor apartments, 8th floor, dining room; 9th floor, racket and tennis courts. Number of members, 2,100. Cost of building, etc., \$750,000. Largest club in the United States. Visiting card from any member admits.

Lake Front Park. One mile along the lake front from Randolph street, south, contains 211 acres. The statue of Logan is here seen.

The Auditorium Building includes hotel, theatre and tower. Valnation, \$4,002,830. The hotel has over one thousand rooms. See the offices, parlors, banquet hall and annex. It is eleven stories high. The theatre seats over 6,000 people and is lighted by 5,500 incandescent electric lights. It has one of the largest organs in the world. The stage is 98 feet wide and 69 feet deep. It is the home of the Thomas Chicago Orchestra of about 85 members. Its tower is eighteen stories high and for 25 cents a fine view of the city can be had. In this tower is the government weather bureau.

The large Dry Goods and Department Stores between Randolph and Van Buren streets on State street are interesting. A walk back on Wabash avenue shows many nice stores of various trades. Dearborn street has many high and elegant office buildings. The Board of Trade, La Salle street and Jackson boulevard, should not be neglected. Visitors are admitted free to the galleries. The Illinois Trust and Savings Bank across the street is very interesting. Ushers will show visitors through the Safety deposits vaults. La Salle street has many noted sky scrapers. The Young Men's Christian Association is No. 155. The new \$5,000,000 Post Office, Jackson boulevard, Adams, Dearborn and Clark streets will be 196 feet high and to top of dome 296 feet. The Great Northern Hotel and Theatre are opposite. A large part of the wholesale district is between Fifth avenue and the river.

Jackson Park, seven miles south: take I. C. R. R., time of transit, twenty minutes: or South Side Elevated, forty minutes. The park contains 586 acres and was the World's Fair site. The Field Columbian Museum is here located. It is the largest museum in the United States, and will repay at least one day's visit. It is free Saturdays and

Sundays, other days admission, 25 cents.

Midway Plaisance contains eighty acres and connects Jackson and Washington Parks.

Washington Park, six miles south, contains 371 acres. It is one mile west of Jackson Park. Can be reached from downtown by Cottage Grove avenue cars, time 45 minutes. Its attractions are the Landscape Gardening Meadow of 100 acres, picturesquely distributed waters of thirteen acres, conservatory, stables, etc.

University of Chicago. Midway Plaisance, 57th street, Ellis and Lexington avenues. The value of the buildings, grounds and endowments is over \$11,000,000, it has 2,500 students and is open the entire year. Young women receive the same advantages as men. It has a press of ten Journals and a university extension to 50,000 members. It

also maintains a college for 300 teachers.

The Union Stock Yards are four miles south-west of the business district, and is best reached by Wentworth avenue car. Time taken to reach the yards, 35 minutes. With 200 acres devoted to yardage alone, twenty miles of streets, twenty miles of water troughs, fifty miles of feeding troughs, seventy-five miles of drainage and water pipes and a capacity of caring daily for 125,000 hogs, 20,000 cattle and 15,000 sheep, something of the activity which prevails will impress itself. The various plants are estimated as worth over \$20,000,000, with a capital of \$50,000,000, and the number of employees about 25,000 with an annual wage of about \$20,000,000. Inquire for and go to Armour & Co.'s Packing House, which is the largest of its kind in the world. At the office you will be furnished free a special guide to show you about.

Armour & Co. kill annually about 2,500,000 hogs, 1,250,000 cattle and 1,150,000 sheep. The firm ownes glue, soap, felt, curled hair and fertilizer works, also a pepsin factory, in which are manufactured

products out of materials that formerly was considered waste. Doctors and druggists should see Armour's Extract of Red Bone Marrow, which in the various anamias or any disease characterized by a depraved condition of the blood acts as a stimulant to the formative processes increasing the production of hemoglobin and red corpuscles. It is reported to promote cell proliferation and supplies the new born cells with nutrition, causing them to proliferate in turn and restores the blood to the normal condition.

### THE WEST SIDE.

The big West Side is twenty-six miles long and eight miles wide. It is used for residences and manufacturies.

Union Park, two miles west is reached by the Madison street car and

contains fifteen acres.

Douglas Park, four miles south west is reached by the Ogden avenue car, time thirty minutes. Its attractions are lakes, mineral wells, refectory, conservatory, winter garden, natatorium and a gym-

Garfield Park, four miles west is reached by the Madison street car in thirty minutes. It contains 185 acres, a half mile bicycle track.

peristyle, lakes, casino and three miles of walks and two of drives.

Humboldt Park, four miles west is reached by the Metropolitan Elevated, Humboldt branch, in twenty minutes. It contains 200 acres of woods, lawns, lakes, walks and drives. It has a large conservatory and refreshment pavillion.

Cook County Hospital and others. Several medical and dental colleges may be reached in twenty minutes by the Ogden avenue car to

Harrison street. They and the morgue there may be seen.

Jewish Community of 40,000 is bounded by Canal, Halsted, 12th and 16th streets. Yiddish spoken and written. Religious services from sundown Friday to sundown Saturday. Synagogue Judd street. Yiddish theatre corner Jefferson and O'Brien streets.

Hull House. Halsted and Polk streets, Halsted street car, time twenty-five minutes. A social settlement directed by Jane Addams. Elevating, uplifting, educating by nurseries, kindergartens, schools, clubs, concerts, lectures, gymnasiums, kitchens, trades and bank, the

twenty-three nationalities in that district is its purpose.

Wheelmen, Equestrians and those who drive will find delight in Chicago's fine roadways. The favored routes on the north side are Dearborn avenue, through Lincoln Park, Sheridan Drive, where one can go twelve miles to Evanston or twenty-seven and a half miles to Fort Sheridan. Side routes are west on Buena avenue one block and through beautiful Graceland Cemetery, west on Wilson avenue, through Sheridan Park. On return south of Lincoln Park follow close to the Lake passing the beautiful residences on the Lake Shore Drike. South Side. Michigan avenue boulevard and Grand boulevard, through Washington Park, Midway Plaisance to Jackson Park, which is seven miles south. Return by Drexel boulevard. West Side. Jackson boulevard to Ashland boulevard to 12th street boulevard across Ogden avenue viaduct through Douglas Park, then via Douglas Park boulevard to Garfield boulevard to Garfield Park, which is four miles west. Return through Washington boulevard to Union Park, via Ashland boulevard to Jackson boulevard and back to business district. Side route Garfield Park to Central Park boulevard to Humboldt Park.

Colleges, Dispensaries, Hospitals and Sanitariums are numerous. Go to any one of Chicago's 966 drug stores and ask for the Medical Directory. You will see the location of all and can there telephone to ascertain what time important operations take place. Any visiting doctor is welcome and can inspect or witness operations.

Theatres, Concerts and Places of Amusements with their attractions and their prices are best found among their advertisements in the daily

papers.

Church Services are printed every Sunday morning in all the papers. Board of Aldermen meet every Monday evening at the City Hall. The Drainage Canal cost \$33,000,000. It is thirty-one miles long, thirty-eight feet deep, with twenty-two feet of clean water flowing through it from Lake Michigan to the Mississippi River.

### DEPOTS.

Union.—Canal and Adams streets. Used by the following rail-roads: Pittsburg, Fort Wayne & Chicago; Chicago, Burlington & Quincy Chicago & Alton; Chicago, St. Louis & Pittsburg; Chicago, Milwaukee & St. Paul.

Dearborn.Station.—Dearborn and Polk streets. Used by the following railroads: Chicago & Eastern Illinois; Atchinson, Topeka & Santa Fe; Chicago & Grand Trunk; Erie; Chicago, Indianapolis & Louisville; The Wabash.

Rock Island—Sherman and Van Buren streets. Used by the following railroads: Lake Shore & Michigan Southern; Chicago, Rock

Island & Pacific; New York, Chicago & St. Louis.

Central.—Lake Front and Twelfth street. Used by the following railroads: Michigan Central; Illinois Central; Cleveland, Cincinnati, Chicago & St. Louis; Wisconsin Central; Pere Marquette.

Chicago and North Western-Wells and Kinzie Streets. Used ex-

clusively by the Chicago & North Western Railway.

Grand Central.—Fifth avenue and Harrison street. Used by the following railroads: Baltimore & Ohio; Chicago & Great Western.

These railroad companies in six years have elevated over 200 miles of tracks and depressed more than fifty-seven miles thus doing away with nearly 200 grade crossings. The work done and to be done in Chicago costs \$17,000,000.

#### SYSTEMS IN BUSINESS.

Systems in business are best illustrated at the Laboratory of Stearns & White Company, Nos. 181 to 189 Chestnut Street. Take the Northwestern Elevated at any of the loop stations, get off at Chicago avenue, walk north one hundred steps. Time from loop, three minutes. Visitors are always welcome. See the arrangement of stock. In the basement, bottles in cases, boxes for packing, crude drugs in packages, liquids in barrels, have each their marked place, numbered 1 to 1,000. All the fixtures, such as boilers, engines, engineer's tools, have their fixed place, marked F1 and upwards. On the first floor all manufactured stock is from 1,000 to 2,000. All "outside" goods, or crude materials, or those used for packages, stationery, etc., 01,000 to 2,000. All fixtures F1,000 to 2,000. On the second floor everything is numbered 2,000 to 3,000. On the third or order floor, 3,000 to 4,000. The price list number locates the goods. This space is marked by a tin device into which is slipped a printed card with number and name; this is protected by a mica slide. In filling orders the order sheet giving the number and name affords a double check then and there by number and name and a verification by name and number making mistakes next to impossible. Each label has its separate drawer which is marked L and the same number as the goods. Everything must come back to its numbered


marked place, because there is no other for it. A shelf filled with chemicals in various kinds of packages may look more disorderly than one filled with gallon bottles, yet each package is under its marked numbered place and there is no disorder anywhere. However rushed, there is no confusion. Everyone is at perfect ease and knows what he or she must do and how to do it, knowing that a way has been provided to make two thinking checks that prevents all errors. On the fourth floor, while all fixed stocks are numbered 4,000 to 5,000, all medicines in the process of making are marked on blackboards. On the fifth floor all are numbered 5,000 to 6,000. A thousand numbers to each floor in manufactured goods. O for "Outside" goods, F for "Fixtures."

The original office systems are as interesting as the copyrighted stock systems. The buying cards, classified and arranged, show each article purchased, where kept in the building, kind, date, quantity, from whom bought, price, contracts, quotations, criticisms. A complete history of each article is on its card, which makes intelligent buying easy compared with old ways. See the Bills Payable forms, where each incoming bill is alphabetically, dictionarily placed according to date of purchase, with the number that has been given that bill above a line and the amount of that bill below the line. These amounts added, with the discounts substracted, show all owed at any time. The check number which pays this bill is recorded in line headed Paid, so no receipts are required. Any bill, however old, can be quickly found from the Bills Payable book and its number. The Order Sheet gives credit, date sold, terms, billed by, examined by, register date, salesman's number, sold to, town and state, shipped by, salesman, binder folio, date billed, lederg folio, case file folio, shippers' check, inspector's check, put up by, quantity, list number, name, price, our goods, outside goods, extensions, making on one sheet an order sheet with all the check marks by fifteen different people, which when bound in its file becomes a page in a day book which is posted on the ledger. Small shortages are prevented by little articles being packed in paper bags printed in large type "This bag contains small packages. Please do not overlook them in unpacking." Each customer-also those whom we wish to sellhave their own case file. These are kept in oak boxes and are easily found by markers giving state, town and name. They have on one side the business, address, date, salesman, credit, average, how often, population, ledger, railroad lines, price list sent, samples sent, advertising sent, letters, calls, responds, specialities sold, complaints, remarks, special formulas, prices quoted. On the other side prices charged, part two. Part three, miscellaneous. By referring to this file each customer's case is understood and his wants properly filled.

All the bookkeeping is done by an original card system, a marvel of simplicity and accuracy. The Estimates, Contracts, and Formulas are also on cards. Each is handled separately by those detailed to attend to them. Any can be found in a moment. All must be seen

to be appreciated.







1022

An antiseptic and antifermentative solution of undoubted value.

As a spray in any inflammation or unhealthy condition of the nose, throat and ear, or any abraided or mucous surface. As a gargle in sore throat. As an injection in gonorrhose, leucorrhose, and kindred troubles. As a wash in inflamed or ill-conditioned wounds. Internally a safe and agreeable remedy in fermentative or catarrhal diarrhose, and in diphtheria, scarlet fever, etc. An excellent deodoriser and disinfectant in the sick room and for the use of physicians as a wash for the hands and instruments during operations or obstetrical work.

In such an agent, combining the greatest germicidal power with perfectly nonpoisonous and non-irritating properties. It will not stain the clothing and is intended for both internal and external use.

Benzomol contains the following ingredients:

Benzole Acid.—Obtained by dry distillation from gum benzoin, a drug long celebrated for its healing properties in the treatment of wounds.

Thymol. One of the constituents of common garden thyme. It has an agreeable aromatic odor and is among the most powerful of vegetable antiseptics. It is superior to carbolic acid as an antiseptic, as it is not poisonous.

Menthol. A crystaline substance obtained from oil of peppermint. It is destructive to all bacteria and will cure ringworm and many parasitic skin diseases, and is a superior local application for burns and scalds. A saturated solution of menthol will relieve the itching of hives, and pruritis of the vulva and anus.

Eucalyptol. From the oil of Eucalyptus, a product of the blue gum tree of Tasmania. It is an efficient deodorizer and is used as a dressing for cancerous and other foul ulcers, substituting a pleasant for an offensive smell.

Boric Acid. Obtained from the vapors which issue from certain volcanoes in Italy and some other parts of the world. It has proved especially valuable in treating inflammations of the eye, ear, nose and throat, as a local application, and in diseases of the mucous membranes generally.

Baptisia Tinctoria. A plant growing in the United States and Canada. It has long been known as an antiseptic in typhoid and adynamic fevers, with a tendency to putrescene, and as a local remedy for ulcers tending to become gangrenous.

Methyl Salicylate. From oil of wintergreen, possesses in a high degree the power of preventing putrefaction when added to liquids.

Formaldehyde. Known as an antiseptic and tissue hardener.

Gal., \$3.00 Pint, \$0.50 12 oz. dos., \$4.00.

